

This is the peer reviewed version of the following article:

Different glassmaking technologies in the production of Iron Age black glass from Italy and Slovakia / Arletti, Rossella; Henderson, Julian; Degryse, Patrick; Blomme, Annelore; Conte, Sonia. - In: ARCHAEOLOGICAL AND ANTHROPOLOGICAL SCIENCES. - ISSN 1866-9557. - 10:3(2018), pp. 503-521. [10.1007/s12520-016-0366-4]

Terms of use:

The terms and conditions for the reuse of this version of the manuscript are specified in the publishing policy. For all terms of use and more information see the publisher's website.

03/05/2026 06:58

(Article begins on next page)

Archaeological and Anthropological Sciences

DIFFERENT GLASSMAKING TECHNOLOGIES IN THE PRODUCTION OF IRON AGE BLACK GLASS FROM ITALY AND SLOVAKIA.

--Manuscript Draft--

Manuscript Number:	AASC-D-16-00060R2
Full Title:	DIFFERENT GLASSMAKING TECHNOLOGIES IN THE PRODUCTION OF IRON AGE BLACK GLASS FROM ITALY AND SLOVAKIA.
Article Type:	Original Paper
Corresponding Author:	Sonia Conte, Ph.D. Universita degli Studi di Torino ITALY
Corresponding Author Secondary Information:	
Corresponding Author's Institution:	Universita degli Studi di Torino
Corresponding Author's Secondary Institution:	
First Author:	Sonia Conte, Ph.D.
First Author Secondary Information:	
Order of Authors:	Sonia Conte, Ph.D. Rossella Arletti Julian Henderson Patrick Degryse Annelore Blomme
Order of Authors Secondary Information:	
Funding Information:	
Abstract:	This study presents the results of an archaeometrical investigation performed on 75 black glass beads dated to the 9th-5th century BC coming from Bologna, Cumae and Pozzuoli (Italy), and Chotin (Slovakia). The analyses of the major, minor and trace elements - as well as that of Sr and Nd isotopes performed on a selection of samples coming from Bologna - provided evidence for two different production technologies in Iron Age black glass found in Italy (natron glass, probably produced in Egypt) and Slovakia (wood ash glass, probably produced in Europe). In both cases, the glasses derive their black colouration from the high presence of iron (around 12% FeO), introduced into the glass batches through the intentional choice of dark sands. The production model appears to be small-scale and experimental, characterised by the use of non-sorted raw materials and poorly defined formulae, producing glass with a high chemical variability. The wood ash technology appears to have dropped out of use in Europe until the Medieval period, while natron production spread quickly, becoming predominant throughout the Mediterranean.
Response to Reviewers:	Answers to referees' comments and list of revisions Reviewer #1: The authors took in consideration most of the comments raised by this reviewer. Few points remain to be clarified. - The experimental section has been improved. The authors added a comment regarding the experimental protocol used for EPMA being equal to the condition reported in Henderson 1988b. However, the LA-ICPMS section becomes more unclear than before. In the original version we read that NIST 612 and 614 were used for external calibration, and that two glass standards (not specified) were used as secondary standards to check for accuracy and precision. The new version states instead that NIST 610 and 614 were used for external calibration, and NIST 612 was used as secondary standard to check for accuracy and precision. What happened to

the two unspecified glass standards used as secondary references mentioned in the first version? It seems the analytical procedure has changed.

We apologize very much for the mistake: in the first version of the manuscript the experimental section was referred to older experiments (then reported in paper Arletti et al Eur. J. Mineral. 2011, 23, 959–968), now the procedure used for the LA-ICPMS analyses has changed, since our laboratory acquired a third standard. So this is the real procedure followed in this set of experiments.

- In addition, supplementary material S1 offers the opportunity to check the values measured for this paper against the average values obtained in Modena. Thanks for adding it. Nevertheless, this reviewer is confused about the conclusion on precision and accuracy. The table lists several elements below 10%, mostly below 15%, and a bunch of elements (Y, Zr, Nb, Ta and Th) with scarce accuracy (20% or more) - these elements are described as good tracer for distinguishing the Pozzuoli and Bologna glasses versus the Chotin glasses. The authors statement in the new version of the paper is confusing. They say "the standard deviations among the analyzed points were below 10% for all the elements, with the exclusion of Sn and Pb with more variable SD". Assuming the authors refer to the accuracy while speaking of standard deviations, it is not clear why Sn and Pb are separately discussed while no mentioned to the above listed elements is made. Please further clarify this point.

It is not clear what the referee means in checking "the values measured for this paper against the average values obtained in Modena". In S1 the certified value of RSM NIST 612 and those obtained by our instrument during this set of analyses were reported. Thus, these values represent accuracy and precision of the instrument at the moment of the analyses of unknown samples. The standard deviations reported in the experimental section were referred to the different points analyses on the same sample and is below 10% (as consistent with that found for NIST 612, indicating not only a good precision of the analyses, but the homogeneity of the samples, as well). In this case the author refers to "standard deviations" as "standard deviations". Anyway, the experimental section was modified as follow:

"Standard Reference Material NIST612 (Pearce et al., 1997) was used as a secondary reference sample to check precision and accuracy. The results, reported in supplementary material S1, indicate a very good precision of the measurement (SD< 7) and a rather good accuracy (<10% for most of the elements). Six points were analysed on each ancient sample to test homogeneity and the mean value was calculated. The standard deviations among the points analysed on the same sample were below 10% for all the elements, with the exclusion of Sn and Pb with more variable SD."

In addition, the the most indicative elements in distinguish Pozzuoli and Bologna glasses form the Chotin glasses are Rb, Sr and Ba whose accuracy is rather good.

- Lastly, the use of NIST SRM 987 CaCO₃ for Sr radiogenic isotopes and of JNdi-1 for Nd radiogenic isotopes is mentioned. Why do you report the accuracy of Nd measurements based on La Jolla standard?

This is indeed an error. Also in this case, in the first version of the manuscript the experimental section was referred to older experiments. Actually, La Jolla standard was adopted for the Nd. The text has been modified.

- This reviewer asked to explain the reason behind the analyzed trace elements were chosen. I see elements such as Sc, Ce, Sm, Bi were not included in the analysis. Why?

The data relative to these elements were not satisfactory, so they were removed from the elements list.

- The spider plot leaves out not only Cr but also V. Looking at the data, I think the addition of Cr won't suppress significantly the signal, and instead enhance your differentiation of the Pozzuoli samples vs the others.

The Cr was not added to the spider diagram (see figure in the rebuttal letter) since its presence would have minimized the differences among the sample sets.

- Lastly, the authors did add error bars on the spider plots. This reviewer is amazed by the similar standard deviation obtained on each single element, to the point of wondering if the right option on excel has been chosen. By double checking, I believe

the authors decided to use the "percentage" error bars which minimize quite significantly the extent of the error bar shown, rather than the "custom" option where the actual standard deviation from the measurements is used to produce the error bars. The latter allows for a better visualization of the variation within a specific element.

The spider diagram of Figure 3 was changed according to referee suggestion and prepared for the manuscript. Figure 4 and 5 were removed.

Reviewer #2: It is suggested to publish the paper after minor revisions

Table 1:

- The descriptions (observations column) of samples Cho-114_3 and 114_4 and of the samples Pozz-60 and 61 are jointed...
- In the observations column are not reported the descriptions of the Bologna glass types (opaque/transparent or translucent; black/dark...etc.) as done for all the other samples. Even if there are the images these details are not clearly visible. Add these information, also in order to make the table uniform.

Table was corrected and the required information added.

The images of the samples are reported only for the Bologna samples. Some of the bead typologies described in Table 1 are complex and not easy to identify. The archaeological information could be clarify adding at least one image or drawing of the main complex bead types (such as the sub-triangular bead, the ones described in Pozz 67-70; Pozz 73-74, Pozz77-86).

The picture of samples from Pozzuoli were not added since, unfortunately, the samples are no more available and the picture were not taken.



UNIVERSITA' DEGLI STUDI DI TORINO

Dipartimento di Scienze della Terra

Torino, July the 8th, 2016

Manuscript Ms. No. AASC-D-16-00060_R1

Dr. Elisabetta Gliozzo
Main Editor
Archaeological and Anthropological Sciences

Dear Editor,

please find enclosed the revised version of the manuscript “**DIFFERENT GLASSMAKING TECHNOLOGIES IN THE PRODUCTION OF IRON AGE BLACK GLASS FROM ITALY AND SLOVAKIA.**” by Conte et al., modified according to reviewer’s comments.

Below we have reported the answers to the referees’ comments and the list of the revisions made. We hope that now the manuscript is suitable for publication in AASC.

Best regards
On behalf of the co-authors

Sonia Conte

Answers to referees’ comments and list of revisions

Reviewer #1: The authors took in consideration most of the comments raised by this reviewer. Few points remain to be clarified.

- The experimental section has been improved. The authors added a comment regarding the experimental protocol used for EPMA being equal to the condition reported in Henderson 1988b. However, the LA-ICPMS section becomes more unclear than before. In the original version we read that NIST 612 and 614 were used for external calibration, and that two glass standards (not specified) were used as secondary standards to check for accuracy and precision. The new version states instead that NIST 610 and 614 were used for external calibration, and NIST 612 was used as secondary standard to check for accuracy and precision. What happened to the two unspecified glass standards used as secondary references mentioned in the first version? It seems the analytical procedure has changed.

We apologize very much for the mistake: in the first version of the manuscript the experimental section was referred to older experiments (then reported in paper Arletti et al Eur. J. Mineral. 2011, 23, 959–968), now the procedure used for the LA-ICPMS analyses has changed, since our

laboratory acquired a third standard. So this is the real procedure followed in this set of experiments.

- In addition, supplementary material S1 offers the opportunity to check the values measured for this paper against the average values obtained in Modena. Thanks for adding it. Nevertheless, this reviewer is confused about the conclusion on precision and accuracy. The table lists several elements below 10%, mostly below 15%, and a bunch of elements (Y, Zr, Nb, Ta and Th) with scarce accuracy (20% or more) - these elements are described as good tracer for distinguishing the Pozzuoli and Bologna glasses versus the Chotin glasses. The authors statement in the new version of the paper is confusing. They say "the standard deviations among the analyzed points were below 10% for all the elements, with the exclusion of Sn and Pb with more variable SD". Assuming the authors refer to the accuracy while speaking of standard deviations, it is not clear why Sn and Pb are separately discussed while no mention to the above listed elements is made. Please further clarify this point.

It is not clear what the referee means in checking "the values measured for this paper against the average values obtained in Modena". In S1 the certified value of RSM NIST 612 and those obtained by our instrument during this set of analyses were reported. Thus, these values represent accuracy and precision of the instrument at the moment of the analyses of unknown samples. The standard deviations reported in the experimental section were referred to the different points analyses on the same sample and is below 10% (as consistent with that found for NIST 612, indicating not only a good precision of the analyses, but the homogeneity of the samples, as well). In this case the author refers to "standard deviations" as "standard deviations". Anyway, the experimental section was modified as follow:

“Standard Reference Material NIST612 (Pearce et al., 1997) was used as a secondary reference sample to check precision and accuracy. The results, reported in supplementary material S1, indicate a very good precision of the measurement ($SD < 7$) and a rather good accuracy ($< 10\%$ for most of the elements). Six points were analysed on each ancient sample to test homogeneity and the mean value was calculated. The standard deviations among the points analysed on the same sample were below 10% for all the elements, with the exclusion of Sn and Pb with more variable SD.”

In addition, the the most indicative elements in distinguish Pozzuoli and Bologna glasses from the Chotin glasses are Rb, Sr and Ba whose accuracy is rather good.

- Lastly, the use of NIST SRM 987 CaCO₃ for Sr radiogenic isotopes and of JNdi-1 for Nd radiogenic isotopes is mentioned. Why do you report the accuracy of Nd measurements based on La Jolla standard?


This is indeed an error. Also in this case, in the first version of the manuscript the experimental section was referred to older experiments. Actually, La Jolla standard was adopted for the Nd. The text has been modified.

- This reviewer asked to explain the reason behind the analyzed trace elements were chosen. I see elements such as Sc, Ce, Sm, Bi were not included in the analysis. Why?

The data relative to these elements were not satisfactory, so they were removed from the elements list.

- *The spider plot leaves out not only Cr but also V. Looking at the data, I think the addition of Cr won't suppress significantly the signal, and instead enhance your differentiation of the Pozzuoli samples vs the others.*

The Cr was not added to the spider diagram (see figure below) since its presence would have minimized the differences among the sample sets.



- *Lastly, the authors did add error bars on the spider plots. This reviewer is amazed by the similar standard deviation obtained on each single element, to the point of wondering if the right option on excel has been chosen. By double checking, I believe the authors decided to use the "percentage" error bars which minimize quite significantly the extent of the error bar shown, rather than the "custom" option where the actual standard deviation from the measurements is used to produce the error bars. The latter allows for a better visualization of the variation within a specific element.*

The spider diagram of Figure 3 was changed according to referee suggestion and prepared for the manuscript. Figure 4 and 5 were removed.

Reviewer #2: It is suggested to publish the paper after minor revisions

Table 1:

- The descriptions (observations column) of samples Cho-114_3 and 114_4 and of the samples Pozz-60 and 61 are jointed...*
- In the observations column are not reported the descriptions of the Bologna glass types (opaque/transparent or translucent; black/dark...etc.) as done for all the other samples. Even if*

there are the images these details are not clearly visible. Add these information, also in order to make the table uniform.

Table was corrected and the required information added.

The images of the samples are reported only for the Bologna samples. Some of the bead typologies described in Table 1 are complex and not easy to identify. The archaeological information could be clarify adding at least one image or drawing of the main complex bead types (such as the sub-triangular bead, the ones described in Pozz 67-70; Pozz 73-74, Pozz77-86).

The picture of samples from Pozzuoli were not added since, unfortunately, the samples are no more available and the picture were not taken.

DIFFERENT GLASSMAKING TECHNOLOGIES IN THE PRODUCTION OF IRON AGE BLACK GLASS FROM ITALY AND SLOVAKIA.

Sonia Conte^{1*}, Rossella Arletti¹, Julian Henderson², Patrick Degryse³, and Annelore Blomme³

Running title: Iron Age Black Glass from Italy and Slovakia.

¹Department of Earth Sciences, University of Torino, Via Valperga Caluso 35, 10125
Torino, Italy

²Department of Archaeology, School of Humanities, University of Nottingham,
Nottingham NG7 2RD, UK

³Department of Earth and Environmental Sciences – Geology, Centre for Archaeological
Sciences, Celestijnenlaan 200E, BE-3001 Leuven, Belgium

Corresponding author: *e-mail: sonia.conte86@libero.it

Phone: (+39) 0536-942088

Fax number: (+39) 059-2055887

ABSTRACT

This study presents the results of an archaeometrical investigation performed on 75 black glass beads dated to the 9th-5th century BC coming from Bologna, Cumae and Pozzuoli (Italy), and Chotin (Slovakia). The analyses of the major, minor and trace elements - as well as that of Sr and Nd isotopes performed on a selection of samples coming from Bologna - provided evidence for two different production technologies in Iron Age black glass found in Italy (natron glass, probably produced in Egypt) and Slovakia (wood ash glass, probably produced in Europe). In both cases, the glasses derive their black colouration from the high presence of iron (around 12% FeO), introduced into the glass batches through the intentional choice of dark sands. The production model appears to be small-scale and experimental, characterised by the use of non-sorted raw materials and poorly defined formulae, producing glass with a high chemical variability. The wood ash technology appears to have dropped out of use in Europe until the Medieval period, while natron production spread quickly, becoming predominant throughout the Mediterranean.

Keywords: Black glass; Iron Age; archaeometry; trace elements; isotopes; LA-ICPMS.

Acknowledgements

The authors are indebted to Simona Bigi (Unimore) for the electron microprobe analyses and to Daniela Manzini (Centro Interdipartimentale Grandi Strumenti-Unimore) for help with the LA-ICPMS analyses. The Fondazione Cassa di Risparmio di Modena is acknowledged. JH is grateful to Dt Robert Brill, formerly of the Corning Museum of Glass, for giving him the Chotin beads and the associated file of information.

1. INTRODUCTION

1 Glass manufacturing derives from a background in metal and faience making, but
2 unlike these, it represents the first production technology in which raw materials (i.e.
3 crushed quartz or sand, plant ash, and colorants) were processed and transformed into a
4 truly synthetic product, representing an important step change in ancient technology
5 (Henderson 2013).
6

7
8 The first man-made glass was produced around 2300 BC in the area of modern Iraq
9 and northern Syria (Mesopotamia) (Oppenheim 1973), but the mass-production of glass
10 only started around 1500 BC in Mesopotamia, followed within 100 years by Egypt
11 (Lilyquist and Brill 1993; Nicholson 1993; Shortland 2000; Shortland and Eremin 2006).
12 Glass technology became fairly advanced in the Roman Empire and the introduction of
13 glassblowing (halfway through the 1st century BC) helped to transform glass from a
14 relatively exclusive material into an affordable common commodity (Cagno et al. 2014)
15 which, because of its translucent quality, allowed traded liquids to be viewed.
16
17

18
19
20 Late Bronze Age (LBA) and Roman glass production have been investigated in depth
21 (as reported in the next paragraph), but little is known about the glass produced during
22 the Iron Age up to the time of Roman dominance. This is especially true for the European
23 Iron Age, which has mainly been investigated by Arletti and co-workers (Arletti et al.
24 2009; 2011a, b; 2012), Gratuze and co-workers (Gratuze 2009; Gratuze and Billaud
25 2003; Gratuze and Lorenzi 2006; Gratuze and Picon 2006) and others (Henderson and
26 Warren 1981; Henderson 1989; Wobrauschek et al. 2000; Karwowski 2004; Cecere et al.
27 2008; Angelini et al. 2011; Polla et al. 2011; Gallo et al. 2012; Panighello et al. 2012;
28 Purowski et al. 2012). This period immediately follows the demise of the mixed alkali-
29 LMHK technology in Europe (Henderson 1989) and that of the plant ash-HMG in the
30 eastern Mediterranean (9th century BC), and represents the beginning of the spread of
31 natron-LMG glass.
32
33
34
35
36

37
38 Studies on glass items dated to the first stage of the Iron Age reveal a complex
39 situation characterised by the co-existence of different chemical types (HMG, LMHK,
40 LMG), some being typical of this period (Alumina-cobalt blue and black natron glass
41 with low lime, see Conte et al. 2016).
42

43
44 In this study a total of 75 glass samples from Italy (65 from Bologna, Cumae,
45 Pozzuoli) and Slovakia (10 samples from Chotin) were investigated. They are all dated
46 between the 9th and 5th century BC. The chemical investigation of this Italian and
47 Slovakian Iron Age glass offers an excellent opportunity to shed light on this crucial
48 period of technological transition, while also attempting to establish information about
49 the glass production model. Moreover, all the glass here in exam are a 'black' (very deep
50 translucent) colour. The black glass represents a category that has attracted great interest
51 recently, as demonstrated not only by works on Roman glass (Van der Linden et al. 2009;
52 Cholakova and Rehren 2012; Rehren et al. 2012; Cagno et al. 2014), but also by those on
53 the early 1st millennium BC one (Gratuze and Picon 2006; Reade et al. 2009; Conte et al.
54 2016).
55
56
57
58

59 2. GLASSMAKING TECHNOLOGIES AND PRODUCTION MODELS 60 BETWEEN THE LBA AND THE ROMAN PERIOD: THE STATE OF THE ART. 61

1 The first glass production technology (from the 2nd millennium BC until about the
2 10th-9th century BC) involved the use of two basic raw materials: ashes from salt-tolerant
3 (halophytic) plants, and silica (Turner 1956; Forbes 1957; Henderson 1985; Henderson
4 2000; Barkoudah and Henderson 2006), resulting in characteristically high levels of
5 magnesia (c. 2-6%) and potash (c. 0.5-4% K₂O) in the finished glass (High Magnesium
6 Glass -HMG) (Sayre and Smith 1961; Henderson 1989, 2000, 2010; Towle et al. 2001;
7 Gratuze and Billaud 2003; Nikita and Henderson 2006, Henderson 2013).

8
9 By the mid-2nd millennium BC, HMG glass was widespread among the strongly
10 hierarchical Late Bronze Age societies in three principle areas: Mesopotamia, Egypt, and
11 Greece (Nolte 1968; Barag 1970; Henderson 2013). It was also found in some Western
12 Mediterranean sites dating from the Bronze Age through to the Early Iron Age (*e.g.*
13 Hartmann et al. 1997; Santopadre and Verità 2000; Angelini et al. 2002; Gratuze and
14 Billaud 2003; Conte et al. 2016).

15
16
17 The HMG glass production and trading model proposed by Rehren and co-workers
18 (2001), and Pusch and Rehren (2007), postulates that only a few “primary” glass
19 production sites existed in LBA Mesopotamia and Egypt. At these primary sites, glass
20 was produced by mixing the silica source with the fluxing agents. This glass was traded
21 in the form of ingots to “secondary” workshops scattered around the Mediterranean,
22 where it was reheated and shaped into objects.

23
24
25 Although the evidence is thin on the ground this model is supported to some extent by
26 some archaeological and chemical data. Chemical studies of finds including crucibles,
27 ingot moulds, and glassy slag from the New Kingdom sites of Qantir – Pi-Ramesse
28 (Rehren and Pusch 2005; Pusch and Rehren 2007) and possibly from Tell al-Amarna
29 (Smirniou and Rehren 2011), demonstrated evidence for primary glass-making at these
30 Egyptian centres. Likewise, the presence of independent primary workshops in
31 Mesopotamia was established by studying glass trace elements (Shortland 2005;
32 Shortland et al. 2007) and isotopic composition (Degryse et al. 2010, 2015; Henderson et
33 al. 2010; Henderson 2013). The isotopic study by Degryse and co-workers (2010) and
34 using a larger data set (Henderson et al. 2010; Henderson 2013) demonstrated that at
35 least two centres of primary production existed in LBA Mesopotamia, possibly in the
36 zones in which Nuzi, Iraq and Tell Brak, Syria are located.

37
38
39 Conversely, analyses of Mycenaean glass samples – which in stylistic analyses
40 appeared to be of Greek manufacture – indicated that some were produced in Egypt and
41 some in Mesopotamia (Panagiotaki 2008; Walton et al. 2009; Henderson et al. 2010).

42
43
44 Chemical analyses of LBA glass objects found in Europe revealed the presence, in
45 addition to HMG glass, of a different chemical type, characterized by mixed alkalis
46 (Na₂O and K₂O total around 14% to 18%, with sodium at 6-8%), low lime (ca. 2%), and
47 low magnesia (<1%), which was named LMHK (low magnesium, high potassium)
48 (Henderson 1988a, b; Santopadre and Verità 2000; Towle et al. 2001; Angelini et al.
49 2004; Venclová et al. 2011, Henderson 2013). The source and type of the alkali is still
50 being debated, although the low levels of Cl and P₂O₅ may suggest the use of a leached
51 tree ash material (Hartmann et al. 1997; Angelini et al. 2004; Henderson et al. 2015).
52 Even if present in very low number, also High-K glass was found in LBA Europe (Towle
53
54
55
56
57
58
59
60
61
62
63
64
65

1 et al. 2001; Angelini et al. 2004, Angelini et al. 2010; Venclovà et al. 2011; Conte,
2 unpublished data), representing the potash pole of the LMHK glass. This glass shows the
3 same chemical features of the LMHK (MgO <1.5%, CaO <4%, P₂O₅ <1%), but different
4 alkali contents, with the predominant presence of potash (12-18%) over soda (1-4%). As
5 stated by Venclovà and co-workers (2011), this could indicate the use of a different
6 source of K-ions or a different method of ash leaching. The LMHK composition was
7 initially related to faience and glassy faience dated to the Early/Middle Bronze Age (24th-
8 15th century BC) and mainly recovered in Italy (Angelini et al. 2005, 2006; Santopadre
9 and Verità 2000), Slovakia (Angelini et al. 2006), and Ireland (Henderson 1988a). These
10 items were probably produced locally on a small scale (Henderson 1988a; Angelini et al.
11 2006).
12
13

14 Starting from the 11th century BC a massive transition from plant ash glass to mixed
15 alkali glass occurred in the Western Mediterranean. Since this LMHK is completely
16 different from the predominant coeval glass type, and does not have a chemical
17 counterpart outside Europe, it is considered a typical European production. Specifically,
18 chemical analyses of European glass provided evidence for glassmaking at the 11th-9th
19 century BC site of Frattesina in Northern Italy (Henderson 1988a, b; Brill 1992; Towle et
20 al. 2001; Angelini et al. 2004). Many studies revealed that the LMHK glass was
21 widespread in Switzerland (Henderson 1988a, b), Germany (Hartmann et al. 1997),
22 Bohemia-Czech Republic (Venclovà et al. 2011), France (Gratuze et al. 1998; Crousch
23 et al. 2011), England and Ireland (Henderson 1988a, b), and Greece (Nikita and
24 Henderson 2006). The first isotopic study of LMHK glasses has provided evidence that it
25 was fused in more than one place – one probably at Frattesina, the other possibly in
26 southern Italy (Henderson et al. 2015).
27
28
29
30
31
32

33 The primary manufacture of LMHK glass in large quantities occurred in a period
34 corresponding to the collapse of the great Bronze Age palatial economies of Mycenaean
35 Greece, Egypt, Mesopotamia, and Hittite Turkey, along with a wide range of other socio-
36 economic changes (including the breakdown of trade and exchange networks). LMHK
37 glass thus filled a gap resulting from the disrupted supply of glass from the Aegean and
38 Middle East to Europe (Henderson 1998b, 2013).
39
40
41

42 From the early first millennium BC, the use of natron as a glass flux spread through
43 the Mediterranean and Levantine regions. Around the 10th century BC, in Egypt, some
44 glassmakers started to use this mineral (natron) as an alkali source (Schlick-Nolte and
45 Werthmann 2003) producing the so-called LMG – low magnesium glass (K₂O and MgO
46 ≤1.5%) (Sayre and Smith 1967). To date, literature records only few cases that evidence
47 the use of natron in the early 1st millennium BC, with examples coming from Nimdur
48 (Reade et al. 2005), Hasanlu (Brill 1999), France (Gratuze and Picon 2006), Jordan (Pella
49 – Reade et al. 2009) Italy – Sarno and Capua (Conte et al. 2016), Como (Angelini et al.
50 2011), Bologna (Arletti et al. 2011a; Polla et al. 2011), Sardinia (Angelini et al. 2012).
51
52
53
54

55 In Europe, natron-based glass replaced plant ash glass imported from the Near East
56 and locally produced LMHK. Natron appears to have fed the prodigious growth of the
57 Roman glass industry.
58
59

60 Theories regarding natron glass production during the Roman period are centred on
61
62
63
64
65

1 two models. The first is similar to the one proposed for LBA glass, with a system of a
2 small number of primary and numerous secondary workshops (Henderson 1989;
3 Freestone 2006). Primary glassmaking centres were active in Beirut in the Late
4 Hellenistic- early Roman period (Kowatli et al. 2008), in Egypt in the 1st-3rd century AD,
5 and Syro-Palestine in the 4th-8th century AD (Brill 1988, 1999; Freestone et al. 2000,
6 2002; Picon and Vichy 2003). The second (decentralised) model instead proposes the
7 existence of many more glassmaking centres with associated glassworking centres.
8 Archaeological, chemical and isotopic evidence also suggests that there were primary
9 glassmaking centres also in the Roman western Mediterranean and Europe (Wedepohl et
10 al. 2011a; Degryse and Schneider 2008; Degryse 2014). In the present state of
11 knowledge, a combined occurrence of regional primary production in the west and large-
12 scale distribution of raw glass from the south-eastern Mediterranean appears the most
13 likely scenario – but this balance may change.
14
15
16

17 In any case, both the proposed models refer to natron glass production during the
18 Roman period. For the centuries between the introduction of natron technology (10th-9th
19 century BC) and the emergence of the Roman Empire (1st century BC), there is still no
20 archaeological evidence of primary production sites (Henderson 2013) and glass
21 production in this period is far from being fully understood.
22
23
24

25 **3. ANALYSED SAMPLES**

26 A total of 75 black glass samples were analysed from four different archaeological
27 sites in Europe, dated from 9th to 5th century BC (Table 1).
28
29

30 **3.1. Bologna Trade Fair Zone - Italy**

31 These 11 samples come from an archaeological site discovered around 1960 in the
32 area of the present day Bologna Trade Fair. The archaeological works recovered a large
33 number of objects indicating the presence of a Villanovian village. The chronology of the
34 site extends from Villanovian II (800-750 B.C.) to Villanovian III (750-680 BC) (Dore
35 2004). The village area was studied in 1979, but the archaeological excavations of the
36 annexed necropolis were only conducted in 2006-2007 (Mengoli, unpublished data).
37 These more recent excavations allowed the recovery and study of 1310 graves, providing
38 a number of objects and artefacts of different typologies and materials (glass, bone,
39 bronze, ceramic, and amber). The glass samples presented here are all annular black
40 beads (Table 1) and derive from the necropolis excavations. Chemical data regarding
41 glass beads of colours other than black and originating from this site have already been
42 published (Arletti et al. 2011a).
43
44
45
46
47
48

49 **3.2. Pozzuoli-Italy**

50 These 43 samples originate from beads held in the Beck Collection in the Cambridge
51 University Museum of Archaeology and Anthropology (Beck Collection 1997, 74-75).
52 The beads may be from Pozzuoli, but there is also a strong possibility that they derived
53 from the archaeological site of Cumae that is 6 kms away from Pozzuoli. Although not
54 dated by an archaeological context these beads are characteristic of the 9th-8th century BC
55 (Haevernick 1981; Spear 2001, 80; Spaer 2002, 55-57; Conte et al. 2016) and can be as
56 late as the 7th century BC (Frey 1987). The beads are all black, their shapes include sub-
57
58
59
60
61
62
63
64
65

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65

triangular, globular, cylindrical and are decorated with opaque white eyes and stripes; some have grooves from which the white glass has fallen out (Table 1).

3.3. Cumae-Italy

These 11 samples originate from beads held in the Beck Collection in the Cambridge University Museum of Archaeology and Anthropology (Beck Collection 1997, 75-76). All the beads are made of black glass and include sub-triangular, globular and cylindrical forms all decorated with opaque white glass including eye and spiral decoration (Table 1). A recent study of Iron Age glass from Sarno and Cumae (Conte et al. 2016), shows that eye beads and spherical black beads decorated with irregular blobs or bands, similar to those analysed here, were found. The published beads come from the *Fossakultur* necropoleis dated to the 9th-8th century BC, belonging to the pre-Hellenic phase. Moreover, Gratuze and Picon (2006) and Gratuze (2009) found more than 200 black annular and globular black beads, decorated or not with a white equatorial line or white blobs, in twelve French sites dated to the 9th-8th centuries BC.

3.4. Chotin-Slovakia

These 10 glass samples originate from excavations of cremation burials in cemeteries IA and IB at Chotin, Komarno district by Dr Mikuláš Dušek (Dušek 1966), given to Dr Robert Brill of the Corning Museum of Glass in 1967. The donut shaped beads date to the Hallstatt D period (Miroššayova and Olexa 2009) c. 650-475 BC (Table 1). Bead analyses were published by Brill (1999 vol. 1, 59; 1999b vol. 2, 49-50). Dr Brill kindly shared all this and other information with one of us (JH).

4. ANALYTICAL METHODS

Due to the good state of preservation, the removal of only small chips of a few hundred μm^3 was possible. Chemical analyses were carried out using electron microprobe (EMPA) and laser ablation inductively coupled plasma mass spectrometry (LA-ICPMS).

4.1. Electron microprobe analysis

The analyses on the Bologna glass samples were performed at the Department of Earth Sciences of the University of Modena and Reggio Emilia, using an ARL-SEM-Q instrument equipped with four scanning wavelength-dispersive spectrometers (WDS). The chemical analyses of major and minor elements (Si, Ti, Al, Fe, Mn, Mg, Ca, Na, K, P, S, Cl) were carried out on glass chips embedded in epoxy resin and polished with diamond paste.

The following natural standards were employed as primary reference samples: albite (Na); olivine (Mg); microcline (K, Al); augite (Si, Ca); sodalite (Cl); apatite (P); ilmenite (Fe, Ti); spessartine (Mn). The analyses were performed operating at 15 kv accelerating voltage, 20 nA beam current, with counting times of 5-10-5 sec on background-peak-background, respectively. A 30 μm defocused electron beam was utilised in order to prevent the known migration phenomenon of alkalis. Several points were analysed on each sample to test homogeneity, and the mean value was calculated. The *probe* programme (Donovan and Rivers 1990) was used to process the results for matrix effects using phi (ρz) absorption correction, and to correct the interference between the Sb-La

1 and K-K β peaks and between the Ca-K β and P-K α peaks. The measured accuracy for the
2 analysed elements was better than 3%, while precision (standard deviation) was between
3 1-2% and 2-3% for major and minor constituents, respectively. The detection limit for
4 the minor elements was between 0.01 and 0.04 wt.%. The results are reported in Table 2,
5 with values lower than detection limits removed.

6 The electron probe microanalyses of the balance of bead samples was performed using
7 a Cambridge Microscan probe in the (then) Department of Earth Sciences, University of
8 Oxford. Full analytical conditions, accuracy and precision of the technique are published
9 in Henderson 1988b (the same experimental condition were used). For some samples
10 (Pozz-54, 60, 81, 84, Cum-172) the closure is not good due to the low amount of material
11 available and to the consequent difficulties in the sample preparation, leading to a not
12 perfect polished surface.

16 4.2. Laser-ablation inductively coupled plasma mass spectrometry

18 LA-ICPMS was used to determine the concentration of 30 trace elements in 35 selected
19 samples. Trace element analyses of the Cumae samples was not possible due to
20 unavailability of the samples. All the analyses were carried out with a Thermo Fisher X-
21 Series^{II} quadrupole based ICP-MS, coupled with a New Wave ablation system with a
22 frequency quintupled ($\lambda = 213$ nm) Nd:YAG laser, at the Centro Grandi Strumenti of the
23 University of Modena and Reggio Emilia. The laser repetition rate and the laser energy
24 density on the sample surface were fixed at 20 Hz and ~ 18 J/cm², respectively. The
25 analyses were carried out using a laser spot diameter of 100 μ m on the same polished
26 fragments used for EMPA. External calibration was performed using NIST SRM 610 and
27 614 glass as external standard, and ²⁹Si, previously determined by EMPA, as internal
28 standard, following the method proposed by Longerich et al. (1996). Standard Reference
29 Material NIST612 (Pearce et al. 1997) was used as a secondary reference sample to
30 check precision and accuracy. The results, reported in supplementary material S1,
31 indicate a very good precision of the measurement (SD < 7) and a rather good accuracy
32 (<10% for most of the elements). Six points were analysed on each sample to test
33 homogeneity and the mean value was calculated. The standard deviations among the
34 points analysed on the same sample were below 10% for all the elements, with the
35 exclusion of Sn and Pb with more variable SD.

44 4.3. Isotope analysis

46 Isotopic analyses of the Bologna black samples FiBo5, FiBo6, FiBo7, FiBo19,
47 FiBo22, and FiBo23 were carried out at the University of Leuven (Belgium). Only these
48 samples were selected for isotopic analyses due to the availability of materials,
49 considering that this analysis requires at least 30 milligrams of glass. The glass samples
50 were finely powdered and subjected to a digestion procedure. The samples were
51 dissolved in a 3:1 mixture of 22M HF and 14M HNO₃ at 110°C overnight. These were
52 dried and dissolved in aqua regia (3:1 mixture of 12M HCl and 14M HNO₃). The
53 sequential extraction methods for the separation of Sr and Nd from the sample solutions
54 were taken from Pin and co-workers (1994) but in a slightly modified version, as
55 reported in Ganio and co-workers (2012). Sr was isolated via extraction chromatography
56 using Sr spec resin (Eichrom). The acid 7M HNO₃ was used to rinse the columns and

0.05M HNO₃ to elute the Sr fraction from the resin. Nd was separated via a two-step extraction chromatography using (i) TRU spec (Eichrom) to separate the REE with 2M HNO₃; and (ii) Ln spec resin (Eichrom) to recover the Nd fraction from it with 0.25M HCl.

The elemental concentrations of both Sr and Nd were measured with a Xseries^{II} ICP-MS. The concentration results were used to calculate the dilutions for the isotope measurements. The Sr and Nd isotopic ratios were measured with a Thermo Scientific Neptune multi-collector ICP-MS. The adopted standards were NIST SRM 987 SrCO₃ isotopic standard solution for the Sr measurements, and the La Jolla standard for Nd. All measurement values were corrected for HNO₃ blank and isobaric interferences. Finally, these were normalised to ⁸⁶Sr/⁸⁸Sr=0.1194 and ¹⁴⁶Nd/¹⁴⁴Nd=0.7219 to correct for instrumental mass discrimination. Repeated static measurements of the NBS 987 standard over the duration of the study yielded an average ⁸⁷Sr/⁸⁶Sr ratio of 0.71031 ± 0.00002. Repeated measurements of the La Jolla Nd standard yielded an average ¹⁴³Nd/¹⁴⁴Nd ratio of 0.512104 ± 0.000009.

5. RESULTS

5.1. Major, minor, and trace element compositions

The major and minor element data from the 75 analysed samples are reported in Table 2. Trace elements analysis was performed on a selection of 35 samples with the results reported in Table 3. The averaged trace element values were normalised to the concentration of the upper continental crust (Wedepohl 1995).

All the samples are silicate glasses, containing between 55.3% and 73.9% SiO₂. Figure 1 shows the relative levels of Na₂O and K₂O, the main fluxing oxides used. Two chemical groups can be observed: one including 9 Chotin specimens with high potash and low soda and the other including the 65 Bologna, Pozzuoli, and Cumae samples, with low potash and high soda. The sample CHO114,15 is a mixed-alkali glass. Associated with the high soda glasses, only a single sample, CUM-169, exhibits a low Na₂O content, which, along with its high SiO₂ level, could be a sign of weathering (Henderson 2013).

The Chotin samples appear very different chemically from all the other specimens, being characterised by low SiO₂ (56-61%) and Na₂O (0.1-1%), accompanied by high levels of K₂O (10.2-14.2%), Al₂O₃ (1.3-3.7%), MgO (2-5.3%), CaO (5.3-10.2%), and P₂O₅ (1.7-4.6%). The alkalis and phosphorus concentrations suggest the use of a potassium-rich plant ash flux in the glass. The only exception is sample CHO114,15, with K₂O and Na₂O levels around 5 and 8 wt. % respectively, which may indicate the use of different ashes, richer in soda, though the relationships between ash compositions, the origin of the plant and the glass produced are not simple.

On the basis of the K₂O and MgO levels, shown in Figure 2, it is possible to classify 44 samples (10 from Bologna, 4 from Cumae and 30 from Pozzuoli), as high soda natron based glasses, containing levels of potash and magnesia lower than 1.5%. The remaining 21 samples from the three localities fall outside the traditional ranges reported for natron glass, exhibiting higher MgO (0.5-4%), but compatible K₂O levels (0.8-1.8%) for natron glasses (excluding samples Cum-165, 170, 172 with K₂O 2-3%). Despite their MgO

1 levels, these samples exhibit a close chemical similarity to natron-based glass. They are
2 all characterised, on average, by high Na₂O (16.2%), low K₂O (1.3%) and P₂O₅ (0.2%,
3 excluded sample Pozz-50 with 0.5% P₂O₅), and very low CaO (2.8%).

4 All the analysed samples are very rich in iron, which is clearly related to their black
5 colour. The FeO levels range from 5 to 20%, with the Pozzuoli samples exhibiting a
6 wider range of variation (from 5% to 18%), and Chotin a narrower range (12% to 16%).
7

8 Manganese oxide is present in quantities below 0.1% or absent in the glass from
9 Bologna, Cumae, and Pozzuoli, while in the Chotin samples it is present in percentages
10 between 0.3% and 0.8%.
11

12 The distribution of the metallic elements is very heterogeneous, even among samples
13 from the same site. Tin is lower than 5 ppm or absent in the majority of the glass
14 samples, with the exception of the four Chotin samples CHOT114-3, 4, 5, 6, where it is
15 present in quantities of around 145 ppm and positively correlated to high levels of Cu
16 (1500 to 1850 ppm). Apparently, with the exclusion of these four Chotin samples, Cu is
17 not correlated to any of the other elements.
18
19
20

21 The widest variation in metallic element concentrations was found in the Pozzuoli
22 glasses, characterised by the most variable and highest levels of Cu, Sb, Zn, V, Cr, and
23 Ni (Table 3). These samples can be divided into two sub-groups based on their Cr and Ni
24 contents: Group 1 (samples Pozz-56, 57, 58, 59, 71, 73, 83) had high Cr (54-334 ppm)
25 and Ni (40-350 ppm), but no Zn (12-31 ppm), while Group 2 had lower Cr (11.6-20.5
26 ppm) and Ni (6.3-20.8 ppm), but high Zn (123-722 ppm). Group 1 also exhibits higher
27 Al₂O₃, TiO₂, and MgO compared to Group 2.
28
29
30
31

32 The trace element patterns reported in Figure 3 highlight that, despite their chemical
33 variability, the Pozzuoli samples show a trend compatible with that of the Bologna
34 glasses rich in Y, Zr, Hf, Ta, and Th, different from that of Chotin samples characterised
35 by higher Rb, Sr and Ba, again reflecting the use of an ash alkali source in the latter.
36
37

38 The absolute concentrations of the Rare Earth Elements (REE) are relatively high in
39 all the glasses. If normalised to the REE concentration of the upper continental crust
40 (Wedepohl 1995), the Pozzuoli and Bologna samples show an Eu negative anomaly
41 (confirming their compatibility), opposite to the positive anomaly of the Chotin glass
42 samples.
43
44

45 **5.2. Sr and Nd isotopic compositions of the Bologna black samples.**

46 The Sr and Nd isotopic compositions of a selection of Bologna black samples are
47 given in Table 4. The ⁸⁷Sr/⁸⁶Sr ratios for all the samples, with the exclusion of FiBo19,
48 are higher (0.70919-0.71012) than that of modern seawater (0.70917) (Banner 2004).
49 Sample FiBo19 is the only one with a ⁸⁷Sr/⁸⁶Sr ratio (0.70866) lower than present-day
50 seawater, while also exhibiting the highest levels of CaO among the Bologna black
51 samples (3.55% vs. 1.60% on average for samples FiBo5, FiBo6, FiBo7, FiBo22,
52 FiBo23). The Nd isotopic data show a narrow range of εNd values between -10.63 and -
53 11.74, with the exclusion of sample FiBo7 with an εNd of -8.63.
54
55
56
57
58

59 **6. DISCUSSION**

6.1. Major, minor, and trace elements compositions

6.1.1. Chotin glass

1
2
3 The Chotin specimens exhibit very different chemical features from all the other glass
4 samples, being characterised by low soda, but high potash, lime and phosphorus oxides,
5 which suggest that wood ash was used as a flux (Wedepohl 1997). To the authors'
6 knowledge, this chemical type has no coeval counterpart. The previous technologies
7 involving the use of salt-tolerant plant or leached wood ashes (HMG and LMHK/High-K,
8 respectively) produced glass with a different chemistry, as reported in section 2.
9 Specifically, the LBA High-K glass found in Europe (Towle et al. 2001; Angelini et al.
10 2004, Angelini et al. 2010; Venclovà et al. 2011; Conte, unpublished data) shows
11 compatible K_2O levels with those recorded for the samples here discussed, but it is
12 characterised by lower lime, magnesia and phosphorus oxides and higher soda contents
13 than the Chotin glass, indicating a different alkali source and/or a different treatment of
14 the ash. On the other hand, the early medieval glass found in Germany (Wedepohl 1997)
15 and other parts of northwestern Europe (Henderson 1983) and labelled by Wedepohl
16 (ibid.) as 'Early Wood Ash glass' includes chemical compositions that are very similar to
17 the Chotin samples (excluding iron), with low soda, high potash, lime and phosphorus
18 oxides.
19
20
21
22
23
24

25 'Early Wood Ash glass' was possibly produced with beech wood ashes in central
26 Europe, between 800 and 1000 AD, and exhibits compositional similarities to most
27 Chotin glass, even if lime is higher in the former (19% vs. 7% CaO). This difference
28 could be due to the use of different plant genera/species and/or variable soil
29 geochemistries (Barkoudah and Henderson 2006), the mixing of ashes or the proportion
30 of trunk and/or bark used to the make the ashes. In the case of beech tree ashes, the K is
31 apparently mainly concentrated in the trunk, while the Ca in the bark (Wedepohl 1997;
32 Wedepohl and Simon 2010). The low CaO/ K_2O ratio of the Chotin samples (0.6) might
33 therefore indicate the use of high quality beech wood with a large proportion of trunk in
34 the raw materials, although this must remain a tentative suggestion. Other plant ashes
35 could have produced a similar ratio: ferns, for examples, sometimes exhibit CaO/ K_2O
36 values below 1 (Jackson et al. 2005; Wedepohl and Simon 2010). Jackson and co-
37 workers (2005) have defined what they regard as ideal compositions for bracken, oak and
38 beech. Regardless of which plant species was used, our glass compositional data suggest
39 that they were probably tree ash. Wedepohl and co-workers (2011a) reported that,
40 together with the major constituents of plants (MgO, K_2O , CaO, and P_2O_5), the elements
41 Ba, Sr, and Rb are especially concentrated in wood ash glass, compared to plant ash and
42 natron glass varieties. This appears to be true for Ba and Rb but not for Sr: some
43 halophytic plants contain up to 2500 ppm (Barkoudah and Henderson 2006, Table 2),
44 considerably higher levels than those detected by Wedepohl et al. (2011a, Table 2) who
45 quote a mean value for 23 samples of 781 ppm. Tables 2 and 3, and Figure 3 underline
46 the high concentrations of MgO, K_2O , CaO, P_2O_5 , Ba, Sr, and Rb in the Chotin samples,
47 representing the highest levels in the set. The presence of specific trace elements is due to
48 their close chemical relationships to specific raw materials and impurities in the glass.
49 Specifically, Sr is a crystal chemical companion of Ca, while Rb and Ba can be related to
50 K (although Ba, for example, can also be introduced in baryte in sand). It can therefore
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65

be assumed that a portion of these elements was introduced in the Chotin glass with the flux. Likewise, the MnO contents (0.3-0.8%) could derive from the wood ashes themselves (Wedepohl and Simon 2010; Wedepohl et al. 2011a).

The CaO/Sr ratio provides information on the source of lime, which in the case of glass produced with ashes, depends on the ashes themselves (Freestone et al. 2003). The ratio recorded for the Chotin samples (345) is closely compatible with that reported by Wedepohl and Simon (2010) for ‘Early Wood Ash glass’ (358).

It should be specified, however, that the Rb and Ba in the Chotin glass could be of mixed origin. Their high concentrations (265-466 Ba and 45-86 Rb ppm) and their positive correlation with alumina – present in relatively high levels (1.3-3.7%) and typically introduced with the vitrifying portion of the batch – suggest that they are partially derived from alkali feldspars, micas and possibly baryte present in the sand used to make the glass. The general chemical signature of the Chotin glass does in fact exhibit a high impurity pattern, indicating the use of an impure sand as the vitrifying source. The positive correlation between Al₂O₃ and TiO₂ (a common correlation in ancient glasses- e.g. Arletti et al. 2012) indicates the presence of specific minerals, such as feldspars, Ti oxides-rutile, ilmenite, and/or titanite, and clays (Brems and Degryse 2013; Shortland and Schroeder 2009). If compared with glasses made with very clean silica source, as the plant ash glass dated to the 8th-7th century BC analysed by Conte et al. (2016) showing 14 Zr, 0.3 Hf and 0.4 Th ppm, the levels of Zr (19-81 ppm), Hf (0.5-2 ppm), and Th (1.2-3.1) of the Chotin samples result very high. Moreover, the positive correlation between these elements indicate that they were introduced with zircon, the most abundant heavy mineral in quartz sand (Götze and Lewis 1994; Degryse and Shortland 2009; Brems and Degryse 2013). The high level of Y (7.5-9.5 ppm, compared to 2 ppm Y of the coeval plant ash glass-Conte et al. 2016) is also related to the heavy fraction of the sand, specifically to garnet (Wedepohl et al. 2011a). Zircon and garnet are also enriched in HREE. The presence of heavy minerals in the sand used is confirmed by the Nd (6.5-8 ppm), which can be introduced by clays and minerals other than quartz (Degryse and Shortland 2009). La is quite high (6.6-8.7 ppm), and could derive from monazite and/or allanite, enriched in LREE (Wedepohl et al. 2011a, b).

The positive Eu anomaly recorded in the Chotin glass depends on the possibility of Eu substituting for Sr in plagioclase. Enrichment in plagioclase during weathering, erosion, or sedimentary processes can cause positive Eu anomalies in sandy sediments, which in turn can be passed on to the glass (Vellmer and Wedepohl 1994; Gao and Wedepohl 1995). These data are in agreement with the abundant presence of feldspars, testified by the high levels of Al₂O₃, as discussed before.

The chemical features of the Chotin glass therefore strongly suggest that it was produced starting from wood ashes and an impure quartz sand rich in minerals other than quartz (such as zircon, feldspars, Ti-oxides, garnet, monazite, etc.).

6.1.2. Bologna, Pozzuoli, and Cumae glass

Among the 65 samples from Bologna, Pozzuoli, and Cumae, 44 were classified as natron glasses on the basis of their high contents of Na₂O in combination with low levels of MgO, K₂O, and P₂O₅ (samples Pozz-53, 54, 57 and 61 show slightly higher levels of

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65

P₂O₅, 0.5-1.3%, probably related to the employ of a different sand containing apatite). The 21 remaining samples, despite their compatible levels of Na₂O, K₂O, and P₂O₅, show higher levels of magnesia (2.2%). In their work on Early Iron Age glass (9th-8th century BC) from Southern Italy, Conte and co-workers (2016) found black samples with the same chemical features as the latter and labelled them HMLK glass (high magnesium low potassium). These authors interpreted the high presence of magnesia as deriving from the use of a very impure sand (richer in Fe-Mg minerals, e.g. amphiboles and pyroxenes), rather than from the flux used in production. This hypothesis was supported by the lack of correlation between K and P oxides – typical of glass produced with plant ash – and by the higher contents of alumina – with respect to the natron samples (as found for the samples here studied (2.1% vs. 1.4% Al₂O₃, respectively)). Coeval glasses characterised by similar composition of that described (with K₂O around 2%) and, additionally, by high alumina (4-10%), were studied by Purowski et al. (2012) and Conte et al. (2016) and identified as natron samples, too. Also in these cases, the medium levels of potash have been interpreted as derived from the vitrifying portion of the glass, rather than from the flux (see also Henderson 2013). Therefore, all the Bologna, Pozzuoli, and Cumae samples of this study can be classified as natron glass.

These samples, dated to the 9th-7th century BC, are characterised by very low levels of lime (1.1-5.2% CaO) – uncommon for traditional natron glass in which levels typically range between 7 and 9% (Aerts 1998) – and very high contents of iron (5-20% FeO). These chemical features were found in other black natron glass samples dated to the Early Iron Age (10th-8th century BC) from Italy (Sarno and Cuma – Conte et al. 2016), France (Gratuze and Picon 2006), and Jordan (Pella – Reade et al. 2009). Such low levels of lime (always <5% CaO) indicate an inadequate understanding of glassmaking processes by the glassmakers. They changed from plant ashes to natron salt as a flux around the 10th century BC but failed to recognize the need for particular types of sands (rich in lime) to stabilize the glass (Schlick-Nolte and Werthmann 2003). When producing plant ash glass, sufficient lime could be introduced with the flux but even this was not guaranteed and glassmakers may have tried several plant colonies before defining one that provided sufficient lime (Barkoudah and Henderson 2006). On the other hand, in natron glass the flux is lime-free and a different source of CaO was required, typically in the form of shell fragments in sand. In the case of glass varieties containing high levels of iron, like our 'black' samples, iron served both as a colouring agent and fortuitously also as a stabiliser (Reade et al. 2009), promoting their durability. Otherwise, most of the other glass produced in this period is likely to have been lost (Shortland et al. 2006).

All the Iron Age black samples found in Bologna, Pozzuoli, and Cumae here analysed can be classified as examples of early natron glass production, comparable with those found in Egypt (Schlick-Nolte and Werthmann 2003), Italy (Conte et al. 2016), France (Gratuze and Picon 2006), and Jordan (Reade et al. 2009).

It worth noting that the black natron glass samples in this study are characterised by high chemical variability. The wide variations in their chemical compositions could be related to the change in glassmaking technology. As observed by Henderson (2013), the transition from the previous plant-ash technology to the natron based system must have

1 involved experimentation with the new fluxing agent, perhaps producing glass varieties
2 of unusual chemical compositions. This hypothesis is confirmed by studies on early
3 natron glass found in France (Gratuze and Picon 2006) and Italy (Brill 1999; Towle and
4 Henderson 2004; Arletti et al. 2011a; Conte et al. 2016), dated to the Early Iron Age (9th-
5 7th century BC), in which the high chemical variability indicates the use of recipes and
6 techniques that were not yet well defined and standardised. Another important
7 consideration, especially as regards black glasses, is that they were made from very
8 impure sands, as demonstrated by the trace and rare earth elements contents. This may
9 also indicate that the glassmakers lacked a complete understanding of the effects of using
10 different raw material sources.
11

12
13 The samples from Bologna and Pozzuoli have high Zr positively correlated with high
14 Hf (54-90 and 43-96 ppm, 1.3-2.1 and 0.7-2.6 ppm, respectively), indicating, as observed
15 for the Chotin glasses, the presence of zircon in the sands used, which also introduced
16 HREE. The positive correlation between La (7.5-13.6 ppm Bologna, 5.5-18.8 ppm
17 Pozzuoli) and Th is instead related to the heavy mineral monazite, which is rich in LREE.
18 Y was introduced into the glass batch (5.2-10.6 ppm Bologna, 5.3-12.8 ppm Pozzuoli)
19 mainly through the heavy mineral garnet, along with HREE. In contrast to the Chotin
20 glass, both the Bologna and Pozzuoli samples are characterised by a negative Eu
21 anomaly, typical of the granitic rocks of the Earth's upper continental crust (Wedepohl
22 and Simon 2010).
23

24
25 Also the sands employed for the production of the Bologna and Pozzuoli glasses are
26 thus characterised by a high presence of heavy minerals other than quartz (zircon, garnet,
27 monazite, etc.), as confirmed by the Nd contents (5.4-16 ppm, high if compared to those
28 found in the plant ash glass made with quartz pebbles, analysed by Conte et al. (2016)
29 with 0.8-5 ppm Nd). Likewise, Sr is related to Ca in the glass, but in the case of natron
30 glasses this usually derives from shells or limestone introduced as a source of lime
31 (Wedepohl and Baumann 2000; Freestone et al. 2003; Brems et al. 2013a). The CaO/Sr
32 ratios found for these glass samples (Bologna 358, Pozzuoli 270) do not match either the
33 use of fresh seashells (≤ 200) or limestone (≥ 600) (data from Freestone et al. 2003;
34 Wedepohl et al. 2011a, b). This could indicate that the CaO/Sr ratio might have been
35 influenced by minerals other than carbonates, present as impurities in the sands.
36

37
38 It can be deduced that the production of the Bologna and Pozzuoli glass involved the
39 mixture of natron with very impure granitic sands, rich in heavy minerals other than
40 quartz but poor in lime.
41

42 43 44 45 46 47 48 **6.1.3. Relation between colour and colouring agents** 49

50 All the glass samples examined here owe their black colour to high iron contents. In
51 ancient times, a means for increasing iron content during glass production was the
52 intentional choice of dark sand, rich in iron oxides, like black sand deposits (e.g. Eid et
53 al. 1994). The data reported below suggest that different sources of impure sand were
54 used as iron sources for the Chotin, Bologna, and Pozzuoli black glass. The variability in
55 the measured concentrations of the metallic elements could be related to the presence of
56 metallic or, more probably, mineral inclusions/remains in the glass, which give
57 information on the mineralogical composition of the starting sands, as discussed below.
58
59
60
61
62
63
64
65

1 High levels of V and Cr in glass are generally related to the iron oxides present in
2 quartz sand (Wedepohl et al. 2011a; b), potentially indicating the use of contaminated
3 sands as iron source. The Chotin samples CHOT114-3, 4, 5, 6, along with high iron,
4 vanadium and chromium levels, also exhibit high Cu (1500-1840 ppm) positively
5 correlated with Sn (137-150 ppm), which could indicate that they were incorporated
6 together in the glass batch in form of metallurgical scrap (Conte et al. 2015). The other
7 Chotin glasses are characterised by lower levels of Sn and Cu. However, Cu is present,
8 together with Zn and Pb, in considerable concentrations in all the glass samples (up to
9 500 ppm Cu, 100 ppm Zn, 100 ppm Pb). Wedepohl and co-workers (2011a) observed
10 that among their Roman natron glass samples produced at Hambach (Germany), those
11 with high iron (1.6% Fe₂O₃) were also characterised by higher Cu, Zn, and Pb than those
12 with lower iron (0.7% Fe₂O₃). The authors suggested that detrital minerals from
13 decomposed ore deposits such as galena (PbS), sphalerite (ZnS), and chalcocite (Cu₂S)
14 were accumulated in the high-iron quartz sand of the River Rur used for the glass
15 production, passing metals (Pb, Zn, Cu) into the glass. The hypothesis that these elements
16 were introduced as impurities along with the impure sand is strengthened by the data
17 reported by Foster and Jackson (2009). In their work on HIMT glass, the authors report
18 that the levels of Cu, Pb, and Sb ≤90, 200, and 100 ppm respectively, are an indication of
19 natural impurities present in the sands.
20
21
22
23
24

25 The samples from Bologna have homogeneous trace elements values with a narrow
26 range of variation. They exhibit a positive correlation between FeO-TiO₂, suggesting the
27 presence of Fe-Ti minerals (e.g. ilmenite) in the sand. At the same time, the FeO-TiO₂
28 and FeO-Al₂O₃ correlations could also indicate the presence of magnetite. Natural
29 magnetite quite commonly contains quantities of alumina and titania (Rehren et al.
30 2012). The high Zn contents (213-405 ppm) again could be related to the presence of
31 specific minerals, like sphalerite (ZnS).
32
33
34
35

36 Regarding the Pozzuoli specimens, as observed in the results section, the Group 1
37 shows higher Al₂O₃, TiO₂, MgO, Cr and Ni with respect to the Group 2, indicating a
38 higher presence of heavy minerals in the sand, as also testified by the more elevated
39 concentration of heavy rare earth elements (Table 3). The high contents of Cr indicate the
40 presence of chromite (Brems and Degryse 2013), a heavy mineral that also introduces
41 iron. Moreover, the Cr also correlated strongly with Ni and V, typically a sign of iron
42 oxides in the sand.
43
44
45

46 It can be concluded that all the sands employed for the production of the Chotin,
47 Bologna, and Pozzuoli samples were probably dark in colour and purposely selected. The
48 use of such sands in fact, did ensure the black colouration of the finished glass.
49
50

51 **6.1.4. ⁸⁷Sr/⁸⁶Sr and εNd of the Bologna black glass**

52 An indication of where the glass was produced can be inferred from the isotopic
53 results. The Bologna black samples exhibit ⁸⁷Sr/⁸⁶Sr ratios variable between 0.70919 and
54 0.71012 (higher than that of modern seawater (0.70917, Banner 2004)), and low CaO
55 values (1.09-2% CaO), indicating low carbonate contents in the raw materials used.
56 These high ⁸⁷Sr/⁸⁶Sr values reflect the influence of other minerals (like feldspar), with
57 higher radiogenic Sr isotope signatures than that of present-day seawater. These samples
58
59
60
61
62
63
64
65

1 are clearly less influenced by shell materials, which are probably absent from the sand.
2 This is consistent with the information obtained from the trace element data of the glass,
3 indicating the use of sand with a CaO/Sr ratio derived from minerals other than
4 carbonate, such as feldspar, mica, and clays (Degryse and Schneider 2008). The FiBo19
5 sample – the only one with an $^{87}\text{Sr}/^{86}\text{Sr}$ ratio (0.70866) lower than present-day seawater –
6 also has a higher CaO content (3.5%), suggesting the presence of carbonates in the raw
7 materials. Its $^{87}\text{Sr}/^{86}\text{Sr}$ ratio could indicate the presence of limestone (Freestone et al.
8 2003). The ϵNd values of the Bologna black samples vary between -10.63 and -11.74,
9 with the exclusion of sample FiBo7, characterised by an ϵNd of -8.63.
10

11 Schaaf and Muller-Sohnius (2002) and Degryse and Schneider (2008) reported the
12 $^{87}\text{Sr}/^{86}\text{Sr}$ and ϵNd values of five quartz-rich sandstones (with SiO_2 contents between
13 84.38% and 96.82%) from mid-western Egypt, and of quartz-rich sands from Belgium,
14 Egypt (Wadi el Natrun), Mesopotamia (River Belus), and Italy (River Volturno). The
15 plot in **Figure 4** shows a comparison between these data and the Bologna black glass,
16 which exhibits a strong similarity to the Egyptian materials (both sandstones and sands).
17 The low values for ϵNd found by Schaaf and Muller-Sohnius (2002) and Degryse and
18 Schneider (2008) in the quartz-rich sandstones and sands from inland Egypt are clearly
19 influenced by the Saharan isotopic signature (typically between -12 and -13.5 ϵNd). The
20 $^{87}\text{Sr}/^{86}\text{Sr}$ ratio, higher than that of modern seawater, coupled with low levels of CaO (1-
21 3.3%), again suggests the influence of high radiogenic strontium minerals, other than
22 carbonates, on the Sr isotopic ratio.
23

24 These results seem to suggest the use of an Egyptian vitrifying raw material, located
25 inland, for the production of the black glass from Bologna. Considering that the black
26 samples were identified as an early natron production, and natron probably came from
27 Wadi el Natrun (Shortland et al. 2006), the hypothesis of an Egyptian origin for the black
28 glass is very plausible, though other silica sources cannot be definitely excluded (*e.g.*
29 Libyan sands, see the database reported in the Appendix of the book by Degryse 2014; or
30 southern Italian sands with low Nd isotopic signatures, see Brems et al. 2013b).
31

32 7. CONCLUSIONS

33 The Iron Age black glass samples analysed in this work, dated between the 9th and the
34 5th century BC, can be subdivided principally on the basis of the fluxing agents employed
35 for their production: probably wood ashes for the Chotin samples, and natron for the
36 Bologna, Pozzuoli, and Cumae samples. All the glasses derive their black colouration
37 from the high presence of iron (12% FeO, on average), which was introduced into the
38 glass batches through the intentional choice of dark sands. Based on the minor, trace, and
39 rare earth elements compositions it was possible to distinguish different, very impure
40 sands used as vitrifying agents and iron sources, too.
41

42 The Chotin wood ash glass has no equivalent among its coeval glass chemical
43 typologies, instead exhibiting a great affinity with the ‘Early Wood Ash Glass’ produced
44 in central Europe during the Medieval period. This is the first evidence of the occurrence
45 of this chemical type in such an early period. Purified tree ashes were probably used
46 to make mixed alkali Final Bronze Age glasses, but they show different chemical
47 composition and alkali ratio (Hartmann et al. 1997; Angelini et al. 2004; Venclovà et al.
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65

2011; Henderson et al. 2015). It would seem that the glassmaking technology based upon the use of tree ashes was employed in Europe during periods of crisis. This may be the case for the mass-production of LMHK glass that occurred in Frattesina in the 11th-9th century BC, when the collapse of the LBA societies caused an interruption in the supply of HMG glass from the Near East (Henderson 1988a). Likewise, the definitive decline of the use of natron in the 9th century AD promoted the production of wood ash glass in Europe. The Chotin samples here analysed were produced with different flux and starting sands (richer in feldspar and Cu-Pb-Zn compounds), with respect to the Bologna, Pozzuoli and Cumae ones. Moreover, their affinity with the European glass productions based on the tree ashes could indicate that they were made in Europe, but certainly in a different place from the others. Their chemical variability suggests small-scale production characterised by the use of non-sorted materials and without well-established recipes. In the current state of knowledge, this glass could be classified as ‘experimental’, probably intended to temporarily fill the lacuna left by the decline of Frattesina glassmaking, at a moment of general technological transition, characterised in the Near East by the replacement of plant ashes with a new mineral flux (natron).

All the other samples in this study, from Bologna, Pozzuoli, and Cumae were dated to the 9th-7th century BC, and were classified as early natron products. They exhibit the same chemical features, including very low lime and high iron concentrations, as other black natron glass samples dated to the Early Iron Age (10th-8th century BC) and found in Egypt, Jordan, France, and Italy. Taking into account that they were among the earliest natron glass products and the technology employed (mixing of natron directly with impure sands as both vitrifying and iron source), it is possible to suggest that the natron black glasses of this study have an Egyptian origin. This hypothesis is further supported by the high isotopic compatibility of the Bologna samples with quartz sands and sandstones located in inland Egypt, also at Wadi el Natrun, where the natron was mainly extracted in antiquity (Shortland et al. 2006).

The use of different sands for the production of the Bologna (high presence of ilmenite and magnetite) and Pozzuoli glasses (Group 1 with chromite, Group 2 Zn minerals), could indicate that more than one raw glass production centre experimented with the new flux, or that different sands were tested to establish the best one in the same centre. The current lack of archaeological evidence of primary glassmaking sites is probably because this early production would have been on a smaller scale than subsequently required for Roman demands, and is likely to have been conducted using crucibles (Henderson 2013). The variations in major element compositions probably resulted, also in this case, from the use of non-selected raw materials and the adoption of formulae and melting conditions that were not yet standardised. Studies of black Roman samples revealed a very different production technology. Black Roman natron glass was made starting from typical natron-based glass, to which iron was added (possibly in secondary workshops) in the forms of iron ores (Group IIB, Van der Linden et al. 2009), hammer scale (Rehren et al. 2012; Cholakova and Rehren 2012), or pure magnetite (Group BG3, Cagno et al. 2014).

In conclusion, this study provides evidence for two different production technologies in Iron Age black glass found in Italy and Slovakia. While the wood ash technology

appears to have dropped out of use in Europe until the Medieval period, natron production spread quickly, becoming predominant throughout the Mediterranean.

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65

REFERENCES

- 1 Aerts A. (1998) Microscopic analysis of Roman vessel glass. Dissertation, University of
2 Antwerp.
3
- 4 Angelini I., Artioli G., Bellintani P., Diella V., Gemmi M., Polla A., Rossi A. (2004)
5 Chemical analyses of Bronze Age glasses from Frattesina di Rovigo. Northern Italy. *J*
6 *Archaeol Sci*, 31, 8, 1175-1184. DOI:10.1016/j.jas.2004.02.015
7
8
- 9 Angelini I., Artioli G., Bellintani P., Diella V., Polla A., Residori G. (2002) Project Glass
10 materials in the Protohistory of North Italy, a first summary. In “Atti del secondo
11 congresso nazionale di Archeometria” (Ed. C. d’Amico), 581-595, Patron Editore,
12 Bologna, Italy.
13
14
- 15 Angelini I., Artioli G., Bellintani P., Polla A. (2005) Protohistoric vitreous materials of
16 Italy: from Early faience to Final Bronze Age glasses. In “Annales du 16e Congrès de
17 l’Association Internationale pour l’Histoire du verre”, 32-36, AIHV, Nottingham, UK.
18
19
- 20 Angelini I., Artioli G., Polla A., de Marinis R. (2006) Early Bronze Age faience from
21 north Italy and Slovakia: a comparative archaeometric study. Proceeding of the 34th
22 symposium of Archeometry, Zaragoza Spain, 2006, 371-378.
23
24
- 25 Angelini I., Polla A., Molin G. (2010) Studio analitico dei vasi in vetro provenienti dalla
26 necropoli di Narde. In “La fragilità dell’urna. I recenti scavi a Narde necropoli di
27 Frattesina (XII-IX sec. a.C.)”, Rovigo, pp. 105-134.
28
29
- 30 Angelini I., Nicola C., Artioli G., De Marinis R.C., Rapi M., Ubaldi M. (2011) Chemical,
31 mineralogical and textural characterization of the Early Iron Age vitreous materials from
32 the Golasecca Culture (northern Italy). In “Proceedings of the 37th International
33 Symposium on Archaeometry” 13th - 16th May 2008, Siena, Italy, Springer, pp. 25-32
34
35
- 36 Angelini I., Nicola C., Artioli G. (2012) Materiali vetrosi protostorici della Sardegna:
37 indagini archeometriche e confronto analitico con reperti coevi. In “La preistoria e la
38 protostoria della Sardegna. Atti della XLIV riunione scientifica dell’Istituto italiano di
39 preistoria e protostoria” Cagliari, Barumini, Sassari, 23-28 Novembre 2009, Firenze, pp.
40 1131-1150.
41
42
- 43 Arletti R., Bertoni E., Vezzalini G., Mengoli D. (2011a) Glass beads from Villanovan
44 excavation in Bologna (Italy): an archaeometrical investigation. *Eur. J. Mineral.*, 23, 959-
45 968. DOI: 10.1127/09351221/2011/0023-2166
46
47
- 48 Arletti R., Ferrari D., Vezzalini G. (2012) Pre-roman glass from Mozia (Sicily-Italy): the
49 first archaeometrical data. *J Archaeol Sci*, 39, 11, 3396-3401. DOI:
50 10.1016/j.jas.2012.06.009
51
52
- 53 Arletti R., Maiorano C., Ferrari D., Vezzalini G., Quartieri S. (2009) The first
54 archaeometric data on polychrome Iron Age glass from sites located in Northern Italy. *J*
55 *Archaeol Sci*, 37, 4, 703–712. DOI: 10.1016/j.jas.2009.11.001
56
57
58
59
60
61
62
63
64
65

1 Arletti R., Rivi L., Ferrari D., Vezzalini G. (2011b) The Mediterranean Group II:
2 analyses of vessels from Etruscan contexts in Northern Italy. *J Archaeol Sci*, 38, 2094-
3 2100. DOI: 10.1016/j.jas.2010.10.028.

4 Banner J. L. (2004) Radiogenic isotopes: systematics and applications to earth surface
5 processes and chemical stratigraphy. *Earth Science Reviews*, 65, 141–94.

6 Barag D. (1970) Mesopotamian core-formed glass vessels (1500-500 B.C.) in
7 Oppenheim et al, 131-199.

8 Barkoudah Y., Henderson J. (2006) Plant ashes from Syria and the manufacture of
9 ancient glass: ethnographic and scientific aspects. *J Glass Stud*, 48, 297–321.

10 Bead Study Trust (1997) Beck Collection. Catalogue of the Beck Collection of Beads in
11 the Cambridge University Museum of Archaeology and Anthropology.

12 Brems D., Degryse P. (2013) Trace element analysis in provenancing Roman glass-
13 making. *Archaeometry*, 56, 116–136. DOI: 10.1111/arc.12063

14 Brems D., Ganio M., Latruwe K., Balcaen L., Carremans M., Gimeno D., Silvestri A.,
15 Vanhaecke F., Muchez P., Degryse P. (2013a) Isotopes on the beach, Part 1: strontium
16 isotope ratios as a provenance indicator for lime raw materials used in Roman glass-
17 making. *Archaeometry* 55, 2, 214– 234. DOI: 10.1111/j.1475-4754.2012.00702.x

18 Brems D., Ganio M., Latruwe K., Balcaen L., Carremans M., Gimeno D., Silvestri A.,
19 Vanhaecke F., Muchez P., Degryse P. (2013b) Isotopes on the beach, Part 2: neodymium
20 isotopic analysis for the provenancing of Roman glass-making. *Archaeometry* 55, 3, 449-
21 464. DOI: 10.1111/j.1475-4754.2012.00701.x

22 Brill R. H. (1988) Scientific investigations of the Jalame glass and related finds. In:
23 Weinberg, G.D. (Ed.), *Excavations at Jalame. Site of a glass factory in Late Roman*
24 *Palestine*. Missouri Press, Columbia, 257-29.

25 Brill R.H. (1992) Chemical analyses of some glasses from Frattesina. *J Glass Stud*, 34,
26 11-22.

27 Brill R. H. (1999) *Chemical analyses of early glasses: Volume 1 (tables) and Volume 2*
28 *(catalogue)*. Corning Museum of Glass, Corning, NY.

29 Cagno S., Cosyns P., Izmer A., Vanhaecke F., Nysc K., Janssens K. (2014) Deeply
30 colored and black-appearing Roman glass: a continued research. *J Archaeol Sci*, 42, 128-
31 139. DOI: 10.1016/j.jas.2013.11.003

32 Cecere F., Carraro A., Ferro D., Visco G. (2008) Individuation of characteristic
33 parameters of “glass paste” of Meridional Etruria by the use of scientific methodologies.
34 *Microchem J.* 88, 130-135.

35 Cholakova A., Rehren T. (2012) Producing black glass during the Roman period-notes
36 on a crucible fragment from Serdica, Bulgaria. *Proceedings of 39th International*
37 *Symposium for Archaeometry*, Leuven, 261-267.

1 Conte S., Matarese M., Quartieri S., Arletti R., Jung R., Pacciarelli M., Gratuze B. (2015)
2 Bronze Age vitreous materials from Punta di Zambrone (southern Italy). *Eur. J. Mineral.*,
3 27, 337-351. DOI: 10.1127/ejm/2015/0027-2450

4 Conte S., Arletti R., Mermati F., Gratuze B. (2016) Unravelling the Iron Age glass trade
5 in Southern Italy: the first trace element analyses. *Eur. J. Mineral.*, 28, 2. DOI:
6 10.1127/ejm/2016/0028-2516

7
8 Croutsch C., Tegel W., Nicolas T., Pascutto É., Billot M., Leprovost C., Gratuze B.,
9 Loge T., Putelat, O. (2011) Les sites protohistoriques d'Erstein «Grasweg-Pae» (Alsace,
10 Bas-Rhin): l'occupation Rhin-Suisse-France Orientale. *Revue Archéologique de l'Est*, t.
11 60.
12

13
14 Degryse P. (2014) *Glass Making in the Greco-Roman World*. Leuven University Press.

15
16 Degryse P., Boyce A., Erb-Satullo N., Eremin K., Kirk S., Scott R., Shortland A. J.,
17 Schneider J., Walton M. (2010) Isotopic discriminants between Late Bronze Age glasses
18 from Egypt and the Near East. *Archaeometry*, 52, 380–8. DOI: 10.1111/j.1475-
19 4754.2009.00487.x
20

21
22 Degryse P., Lobo L., Shortland A., Vanhaecke F., Blomme A., Painter J., Gimeno D.,
23 Eremin K., Greene J., Kirk S., Walton M. (2015) Isotopic investigation into raw
24 materials of Late Bronze Age glass making. *J Archaeol Sci*, 62, 153-160. DOI:
25 [10.1016/j.jas.2015.08.004](https://doi.org/10.1016/j.jas.2015.08.004)
26

27
28 Degryse P., Schneider J. (2008) Pliny the Elder and Sr–Nd isotopes: tracing the
29 provenance of raw materials for Roman glass production. *J Archaeol Sci*, 35, 1993–2000.
30 DOI: 10.1016/j.jas.2008.01.002
31

32
33 Degryse P., Shortland A. (2009) Trace elements in provenancing raw materials for
34 Roman glass production. *Geol Belg*, 12, 135–43. DOI: 10.1111/arc.12063
35

36
37 Donovan J.J., Rivers M.L. (1990) PRSUPR – a PC-based automation and analysis
38 software package for wavelength-dispersive electron-beam microanalysis. in
39 “Microbeam Analysis – 1990”, J.R. Michael and P. Ingram, eds., San Francisco Press,
40 San Francisco, CA, 66–68
41

42
43 Dore A. (2004) Il Villanoviano I-III di Bologna: problemi di cronologia relativa e
44 assoluta. in “Mediterranea. Quaderni dell'Istituto di Studi sulle Civiltà Italiane e del
45 Mediterraneo Antico del consiglio Nazionale delle Ricerche”, Istituti Editoriali e
46 Poligrafici Internazionali, Pisa-Roma, 255–292.
47

48
49 Dušek M. (1966) Thrakisches Gräberfeld der Hallstattzeit in Chotin, Bratislava,
50 Vydavatel' stvo Slovenskej Akademie, Vied.
51

52
53 Eid M.A., Naim G., Mahdy A.A., Nada N., Abdel Mongy N. (1994) Application of ICP
54 AES to the determination of REE in Egypt's black sand deposits. *J Alloys Compd.*,
55 207/208, 482-486.
56

57
58 Forbes R.J. (1957) Glass, in *Studies in Ancient Technology*, vol. 5, 110-231, Leiden.
59
60
61
62
63
64
65

1 Foster H.E., Jackson C.M. (2009) The composition of ‘naturally coloured’ Late Roman
2 vessel glass from Britain and the implication for models of glass production and supply. *J*
3 *Archaeol Sci*, 36, 2, 189-204. DOI: 10.1016/j.jas.2008.08.008

4 Freestone I.C. (2006) Glass production in late antiquity and Early Islamic period: a
5 geochemical perspective. In: Maggetti M., Messiga B. (Eds.), *Geomaterials in Cultural*
6 *Heritage*. Geological Society of London, Special Publication 257, London, 201-216.

7
8 Freestone I.C., Gorin-Rosen Y., Hughes M. J. (2000) Primary glass from Israel and the
9 production of glass in the late antiquity and the early Islamic period. In: M.-D. Nenna
10 (Ed.), *La route du verre: ateliers primaires et secondaires de verriers du second millénaire*
11 *avant J.C. au Moyen Age*, Travaux de la Maison de l’Orient Méditerranéen 33, Lyon,
12 65–83.

13
14
15 Freestone I.C., Leslie K.A., Thirlwall M., Gorin-Rosen Y. (2003) Strontium isotopes in
16 the investigation of early glass production: Byzantine and early Islamic glass from the
17 Near East. *Archaeometry*, 45, 19–32. DOI: 10.1111/1475-4754.00094

18
19 Freestone I.C., Ponting M., Hughes J. (2002) Origins of Byzantine glass from Maroni
20 Petra, Cyprus. *Archaeometry*, 44, 257–72. DOI: 10.1111/14754754.t01-1-00058

21
22 Frey O.-H. (1987): *Glasperlen der verrömischen Eisenzeit II: Ringaugenperlen und*
23 *verwandte Perlengruppen nach Unterlagen von Thea Elisabeth Haevernick mit Beiträgen*
24 *von C. Dobiak, H. Matthäus, B. Raftery and J. Henderson*. Marburger Studien zur Vor-
25 *und Frühgeschichte* 9. Marburg: Hitzeroth.

26
27 Gallo F., Silvestri A., Molin G., Marcante A., Guerriero P. (2012) Iron Age vessels from
28 the Archaeological Museum of Adria (North-Eastern Italy): a textural, chemical and
29 mineralogical study. In “Proceedings of the 39th International Symposium on
30 Archaeometry”, Leuven (2012) 198-207.

31
32 Ganio M., Latruwe K., Brems D., Muchez P., Vanhaecke F., Degryse P. (2012) The Sr-
33 Nd isolation procedure for subsequent isotopic analysis using multi-collector ICP-mass
34 spectrometry in the context of provenance studies on archaeological glass. *J. Anal. At.*
35 *Spectrom.*, 27, 8, 1335-1341. DOI: 10.1039/C2JA30154G

36
37 Gao S., Wedepohl K.H. (1995) The negative Eu anomaly in Archean sedimentary rocks:
38 implications for the decomposition, age and importance of their granitic sources. *Earth*
39 *Planet. Sci. Lett.* 133, 81-94. DOI: 10.1016/0012-821X(95)00077-P

40
41 Götze J., Lewis R. (1994) Distribution of REE and trace elements in size and mineral
42 fractions of high-purity quartz sands. *Chem. Geol.*, 114, 43-57.

43
44 Gratuze B. (2009) Les premiers verres au natron retrouvés en Europe occidentale:
45 composition chimique et chronotypologie. In: Janssens, K., Degryse, P., Cosyns, P.,
46 Caen, J., and Van’t dack, L. (Eds.), *Annales du 17^o Congrès de l’Association*
47 *Internationale pour Histoire du Verre*. Annales of the 17th Congress of the International
48 Association for the History of Glass, University Press Antwerp, Antwerp, 8–14.

49
50 Gratuze B., Billaud Y. (2003) La circulation des perles en verre dans le Bassin
51 Méditerranéen, de l’Age du Bronze moyen jusqu’au Hallstatt. In: D. Foy – M. D. Nenna

eds., Echanges et commerce du verre dans le monde antique, Montagnac: Mergoïl, 11–15.

1
2 Gratuze B., Lorenzi F. (2006) Les éléments de parure en verre du site de Lumaca (Age
3 du Fer, Venturi, Haute-Corse): compositions et typochronologie, Bulletin de la Société
4 préhistorique française 103, 379-384.
5

6
7 Gratuze B., Louboutin C., Billaud Y. (1998) Les perles protohistoriques en verre du
8 Musées des Antiquités nationales. Antiquités Nationales 30: 11-24.
9

10
11 Gratuze B., Picon M. (2006) Utilisation par l'industrie verrière des sels d'aluns des oasis
12 égyptiennes au début du premier millénaire avant notre ère. In: Brun, J.-P. (Ed.), L'Alun
13 de Méditerranée, Institut Français de Naples, 269-276.
14

15
16 Haevernick T.E. (1981) Beiträge zur Glasforschung: Die wichtigsten Aufsätze von 1938-
17 1991, Mayence: Philip von Zabern
18

19
20 Hartmann G., Kappel I., Grote B., Arnold B. (1997) Chemistry and technology of
21 prehistoric glass from lower Saxony and Hesse. J Archaeol Sci, 24, 547-559.
22

23
24 Henderson J. (1983) X-Ray fluorescence analysis of Iron Age glass beads. Unpublished
25 Ph.D. thesis, University of Bradford.
26

27
28 Henderson J. (1985) The raw materials of early glass production. Oxford Journal of
29 Archaeology, 4, 267-291
30

31
32 Henderson J. (1988a) Glass production and Bronze Age Europe. Antiquity 1988, 62,
33 435-451
34

35
36 Henderson J. (1988b) Electron probe microanalysis of mixed alkali glasses.
37 Archaeometry 30, 1, 77-91.
38

39
40 Henderson J. (1989) The scientific analysis of ancient glass and its archaeological
41 interpretation. In: Henderson, J. (Ed.), Scientific analysis in archaeology and its
42 interpretation. Oxford University Committee for Archaeology, Monograph no. 19, UCLA
43 Institute of Archaeology Research Tools 5, Oxford, 30–62.
44

45
46 Henderson J. (2000) The science and Archaeology of materials: an investigation of
47 inorganic materials. Ed Routledge, London.
48

49
50 Henderson J. (2013) Ancient glass, an interdisciplinary exploration. Cambridge
51 University Press, New York.
52

53
54 Henderson J., Evans J., Bellintani P., Bietti-Sestieri. A.-M. (2015) Provenance and
55 technology of mixed alkali glasses from northern Italy: an isotopic approach, J Archaeol
56 Sci 55, 1-8. [DOI:10.1016/j.jas.2014.12.006](https://doi.org/10.1016/j.jas.2014.12.006)
57

58
59 Henderson J., Evans J., Nikita K. (2010) Isotopic evidence for the primary production,
60 provenance and trade of Late Bronze Age glass in the Mediterranean. Mediterranean
61 Archaeology and Archaeometry, 10, 1, 1-24.
62

63
64 Henderson J., Warren S.E. (1981) X-ray fluorescence of Iron Age glass: beads from
65

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65

Meare and Glastonbury Lake Villages. *Archaeometry* 23, 83-94. DOI: 10.1111/j.1475-4754.1981.tb00958.x

Jackson C.M., Booth C.A., Smedley J.W. (2005) Glass by design? Raw materials, recipes and compositional data. *Archaeometry*, 47, 781–95. DOI: 10.1111/j.1475-4754.2005.00232.x

Karwowski M. (2004) Latènezeitlicher Glasringschmuck aus Ostösterreich, *Mitteilungen der Prähistorischen Kommission* 55, Wien.

Kowatli I., Curvers H.H., Stuart B., Sablerolles Y., Henderson J., Reynolds P. (2008) A pottery and glassmaking site in Beirut (015). *Bulletin de Archéologie et d'Architecture Libanaises*, 10, 103-20.

Lilyquist C., Brill R.H. (1993) *Studies in early Egyptian glass*. New York: Metropolitan Museum of Art.

Longerich H.P., Jackson S.E., Gunther D. (1996) Inter-laboratory note. Laser ablation inductively coupled plasma mass spectrometric transient signal data acquisition and analyte concentration calculation. *J. Anal. At. Spectrom.* 11, 899-904. DOI: 10.1039/JA9961100899

Miroššayova E., Olexa L. (2009) Sklené koráliky z doby Halštatskej na východnom Slovensku, *Študijné zvesti*, 45, 99–103.

Nicholson P. T. (1993) *Ancient Egyptian faience and glass*. Shire Egyptology, London.

Nikita K., Henderson J. (2006) Glass Analyses from Mycenaean Thebes and Elateia: Compositional evidence for a Mycenaean glass industry. *J Glass Stud*, 48, 71-120.

Nolte B. (1968) *Die Glasgefäße im Alten Ägypten*, Bruno Hessling, Berlin.

Oppenheim A.L. (1973) Towards a History of Glass in the Ancient Near East. *JAOS*, 93, 259-266.

Panagiotaki M. (2008) The technological development of Aegean vitreous materials in the Bronze Age. In: Jackson C.M. and Wager E.C. (Eds.), *Vitreous materials in the Late Bronze Age Aegean*. Sheffield Studies in Aegean Archaeology, Oxbow Books, Oxford, 34–63.

Panighello S., Orsega E. F., van Elteren J. T., Selih V.S. (2012) Analysis of polychrome Iron Age glass vessels from Mediterranean I, II and III groups by LA-ICP-MS. *J. Arch. Sci.* 39, 2945-2955.

Pearce J.G., Perkins W.T., Westgate J.A., Gorton M.P., Jackson S.E., Neal C.R., Chenery, S.P. (1997) A compilation of new and published major and trace element data for NIST SRM 610 and NIST SRM 612 glass reference materials. *Geostandard. Newslett.*, 21(1), 115–144.

1 Picon M., Vichy M. (2003) D'Orient et Occident: l'origine du verre à l'époque romaine
2 et durant le haut Moyen Age. In: D. Foy, M.D. Nenna (Eds.), *Echanges et Commerce du*
3 *Verre dans le Monde Antique*, Editions Monique Mergoïl, 17-32.

4 Pin C., Briot D., Bassin C., Poitrasson F. (1994) Concomitant separation of strontium and
5 samarium-neodymium for isotopic analysis in silicate samples, based on specific
6 extraction chromatography. *Anal. Chim. Acta*, 298, 209-217.

7
8 Polla A., Angelini I., Artioli G., Bellintani P., Dore A. (2011) Archaeometric
9 investigation of Early Iron Age glass from Bologna. In "Proceedings of the 37th
10 International Symposium on Archaeometry", 13th - 16th May 2008, Siena, Italy, Springer,
11 pp. 139-144.

12
13
14 Purowski T., Dzierżanowski P., Bulska E., Wagner B., Nowak A. (2012) A study of glass
15 beads from the Hallstatt C-D from southwestern Poland: implications for glass
16 technology and provenance. *Archaeometry*, 54, 144-66. DOI: 10.1111/j.1475-
17 4754.2011.00619.x

18
19
20
21 Pusch E.B., Rehren Th. (2007) Hochtemperatur-Technologie in der Ramses-Stadt.
22 Rubinglas für den Pharao, *Forschungen in der Ramses-Stadt 6*, Gerstenberg- Verlag,
23 Hildesheim.

24
25
26 Reade W., Freestone I.C., Bourke S. (2009) Innovation and continuity in Bronze and Iron
27 Age glass from Pella in Jordan. In: Janssens, K., Degryse, P., Cosyns, P., Caen, J., and
28 Van't dack, L. (Eds.), *Annales du 17^o Congrès de l'Association Internationale pour*
29 *Histoire du Verre. Annales of the 17th Congress of the International Association for the*
30 *History of Glass*, University Press Antwerp, Antwerp, 47-54.

31
32
33 Reade W., Freestone I.C., Simpson S.J. (2005) Innovation Or Continuity? Early First
34 Millennium BCE Glass In The Near East: The Cobalt Blue Glasses From Assyrian
35 Nimrud. In: Arrowsmith, J.W. (Ed.), *Annales du 16^o Congrès de l'Association*
36 *Internationale pour Histoire du Verre. Annales of the 16th Congress of the International*
37 *Association for the History of Glass*, Bristol, 23-27.

38
39
40
41 Rehren T., Cholakova A., Zivanovic M. (2012) The making of black glass in Late Roman
42 Doclea, Montenegro. *New Antique Doclea III*, 75-90.

43
44
45 Rehren Th., Pusch E. B. (2005) Late Bronze Age glass production at Qantir–Piramesses,
46 Egypt. *Science*, 308, 1756–8.

47
48
49 Rehren T., Pusch E., Herold A. (2001) Problems and possibilities in workshop
50 reconstruction: Qantir and the organisation of LBA glass workshops. In: Shortland A. J.
51 (Ed.). *The social context of technological change*, Oxbow books, Oxford, 223–38.

52
53
54 Santopadre P., Verità M. (2000) Analyses of the production technologies of Italian
55 vitreous materials of the Bronze Age. *J Glass Stud*, 42, 25-40.

56
57
58 Sayre E.V., Smith R.W. (1961) Compositional categories of ancient glass. *Science*, 133,
59 1824–6.

1 Sayre E.V., Smith R.W. (1967) Some materials of glass manufacturing in antiquity.
2 Archaeological chemistry, a symposium (ed. M. Levey), Third Symposium of
3 Archaeological Chemistry, Atlantic City, NJ, Philadelphia: University of Pennsylvania
4 Press, 279-312.

5 Schaaf, P., Muller-Sohnius D. (2002) Strontium and neodymium isotopic study of
6 Libyan Desert Glass: Inherited Pan-African age signatures and new evidence for target
7 material. *Meteorit Planet Sci* 37, 565-576. DOI: 10.1111/j.1945-5100.2002.tb00839.x
8

9 Schlick-Nolte B., and Werthmann R. (2003) Glass vessels from the burial of Nesikhons.
10 *J Glass Stud*, 45, 11-34.
11

12 Shortland A.J. (2000) Vitreous material from Amarna: the production of glass and
13 faience in 18th Dynasty Egypt. Archaeological report International Series, S827,
14 ArchaeoPress, Oxford.
15

16 Shortland A. J. (2005) The raw materials of early glasses: the implications of new LA-
17 ICPMS analyses. In: Cool H. (Ed.), Proceedings of the 16th International Congress of the
18 Association Internationale pour l'Histoire du Verre, London, 1-5.
19

20 Shortland A.J., Eremin K. (2006) The analysis of second millennium glass from Egypt
21 and Mesopotamia, part 1: new WDS analyses. *Archaeometry*, 48, 4, 581-603. DOI:
22 10.1111/j.1475-4754.2006.00274.x
23

24 Shortland A.J., Rogers N., Eremin K. (2007) Trace element discriminants between
25 Egyptian and Mesopotamian Late Bronze Age glasses. *J Archaeol Sci*, 34, 781-789.
26 DOI: 10.1111/j.1475-4754.2009.00487.x
27

28 Shortland A.J., Schachner L., Freestone I., Tite M. (2006) Natron as flux in the early
29 vitreous materials industry: sources, beginning and reasons for decline. *J Archaeol Sci*,
30 33, 521-530. DOI: 10.1016/j.jas.2005.09.011.
31

32 Shortland A.J., Schroeder H. (2009) Analysis of first millennium BC glass vessels and
33 beads from the Pichvnari necropolis, Georgia. *Archaeometry* 51, 947-965.
34 DOI:10.1111/j.1475-4754.2008.00443.x
35

36 Smirniou M., Rehren Th. (2011) Direct evidence of primary glass production in Late
37 Bronze Age Amarna, Egypt. *Archaeometry* 53, 58-80. DOI: 10.1111/j.1475-
38 4754.2010.00521.x
39

40 Spaer M. (2001) Ancient glass in the Israel Museum. Beads and other small objects,
41 Jerusalem: The Israel Museum.
42

43 Spaer M. (2002) Glass: history, technology and conservation of glass and vitreous
44 materials in the Hellenic world. In: G. Kordas (ed.) *Hyalos. Vitrum*. Athens: Glasnet. pp.
45 55-57.
46

47 Towle A., Henderson J. (2004) The glass Bead game: archaeometric evidence for
48 existence of an Etruscan glass Industry. *Etruscan Studies*, 10, 47-66.
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65

Towle A., Henderson J., Bellintani P., Gambacurta G. (2001) Frattesina and Adria: report of scientific analyses of early glass from the Veneto. *Padusa*, 7-98.

Turner W.E.S. (1956) Studies of ancient glass and glassmaking processes. Part V: Raw materials and melting processes. *Journal of the Society of Glass Technology* 40, 277–300.

Van der Linden V., Cosyns P., Schalm O., Cagno S., Nys K., Janssens K., Nowak A., Wagner B., Bulska E. (2009) Deeply coloured and black glass in the Northern Provinces of the Roman Empire: differences and similarities in chemical composition before and after AD 150. *Archaeometry* 51, 5, 822-844. DOI: 10.1111/j.1475-4754.2008.00434.x

Vellmer C., Wedepohl K.H. (1994) Geochemical characterization and origin of granitoids from the South Bohemia Batholith in Lower Austria. *Contributions to Mineralogy and Petrology* 118, 13-32. DOI: 10.1007/BF00310608

Venclová N., Hulínský V., Henderson J., Chenery S., Šulová L., Hložek J. (2011) Late Bronze Age mixed-alkali glasses from Bohemia. *Archeologické rozhledy LXII*, 559-585.

Walton M.S., Shortland A., Kirk S., Degryse P. (2009) Evidence for the trade of Mesopotamian and Egyptian glass to Mycenaean Greece. *J Archaeol Sci*, 36, 1496-1503. DOI: 10.1016/j.jas.2009.02.012

Wedepohl K.H. (1995) The composition of the continental crust. *Geochim. Cosmochim. Acta* 59, 7, 1217-1232. DOI: [10.1016/0016-7037\(95\)00038-2](https://doi.org/10.1016/0016-7037(95)00038-2)

Wedepohl K.H. (1997) Chemical composition of medieval glass from excavations in West Germany. *Glastech. Ber. Glass Sci. Technol.* 70, 8, 246-255.

Wedepohl K. H., Baumann A. (2000) The use of marine molluscan shells for Roman glass and local raw glass production in the Eifel area (Western Germany). *Naturwissenschaften*, 87, 129–132.

Wedepohl K.H., Simon K. (2010) The chemical composition of medieval wood ash glass from Central Europe. *Chemie der Erde* 70, 1, 89-97.

Wedepohl K. H., Simon K., Kronz A. (2011a) Data on 61 chemical elements for the characterization of three major glass compositions in Late Antiquity and the Middle Ages. *Archaeometry*, 53, 81–102. DOI: 10.1111/j.1475-4754.2010.00536.x

Wedepohl K. H., Simon K., Kronz A. (2011b) The chemical composition including the Rare Earth Elements of the three major glass types of Europe and the Orient used in late antiquity and the Middle Ages. *Chemie der Erde*, 71, 289–96. DOI: 10.1016/j.chemer.2011.04.001

Wobrauschek P., Halmetschlager G., Zamini S., Jokubonis C., Trnka G., Karwowski M. (2000) Energy-dispersive X-ray fluorescence analysis of Celtic glasses. *X-Ray Spectrometry* 29, 1, 25–33. DOI: 10.1002/(SICI)1097-4539(200001/02)29:1<25::AID-XRS415>3.0.CO;2-O

TABLE CAPTIONS

Table 1: Resume table of analysed samples.

(a) Museum number: Cambridge University Museum of Archaeology and Anthropology 1947.1937; (b) Museum number: Cambridge University Museum of Archaeology and Anthropology 1947.1971A (11): **Ref: 1.** Chotin I-A, Skelletgrab 266. Dušek 1966 pp. 67-68 and plate XXIX, no. 2; also numbered 137/54, H 266/54. 2F; **2.** Chotin I-A, Skelletgrab 161. Dušek 1966 p. 56 and plate XV, no. 4. Orig. 1; **3.** Chotin I-A, Skelletgrab 108-A. Dušek 1966 p. 51 and plate VII, no. 39, also numbered 37/53, no. 108/53-1; **4.** Chotin I-A, Skelletgrab 175A. Dušek 1966 pp. 58-59 and plate XIX, no. 6; **5.** Spaer (2001, 80, Fig. 38) dates 'black' sub-triangular beads with 3 eyes formed from opaque white annulets to the end of the 9th-8th centuries BC with examples from the Levant and Sinai. Many examples of such beads have been excavated from secure 9th-8th century BC contexts from Kaman Kalehöyük, Anatolia and examined by one of us [JH] (pers. comm Dr. Omura). Such beads are also discussed by Spaer (2002, 55-57, 211 [no. 2926]) and Haevernick (1981). Gratuze and Picon (2006) and Gratuze (2009) analysed more than 200 'black' annular and globular black beads, decorated or not with a white equatorial line or white blobs, found in twelve French sites dated to the 9th-8th centuries BC. Conte et al. (2016) analysed 'black' triangular and spherical beads with white opaque eyes, annular beads, spherical beads with a white equatorial line or irregular blobs decorations, found in the *Fossakultur* necropoleis of Sarno and the site of Cumae dated to the 9th-8th centuries BC. **6.** Dore (2004) and Mengoli unpublished data.

Table 2: Major and minor element contents in wt.% of the glass samples, obtained by EMPA. (n.d. = not detected).

Table 3: Trace and minor element contents (in ppm) for selected glass samples, obtained by LA-ICPMS.

Table 4: $^{87}\text{Sr}/^{86}\text{Sr}$ and ϵNd values of the analysed Bologna samples.

FIGURE CAPTIONS

Figure 1: Plot of K_2O vs. Na_2O for the analysed samples.

Figure 2: Plot of K_2O vs. MgO for the analysed samples.

Figure 3: Trace elements composition of all the analysed groups, normalised to the concentration of the Upper Continental Crust (Wedepohl 1995).

Figure 4: $^{87}\text{Sr}/^{86}\text{Sr}$ and ϵNd of the black Bologna samples compared to the values of quartz-rich sandstone from mid-western Egypt (Schaaf and Muller-Sohnius 2002), and quartz-rich sand from Belgium, Egypt (Wadi el Natrun), Mesopotamia (River Belus), and Italy (River Volturno) (Degryse and Schneider 2008).


SUPPLEMENTARY CAPTIONS


S1. Precision and accuracy calculated on the Standard Reference Material NIST612 at the Centro Interdipartimentale Grandi Strumenti of Modena and Reggio Emilia. The accuracy was reported as percentage of deviation average of own analysis compared to the standard. Standard deviations are


reported in absolute numbers. The standard deviation is the measure taken for precision on the one sigma level.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16
- 17
- 18
- 19
- 20
- 21
- 22
- 23
- 24
- 25
- 26
- 27
- 28
- 29
- 30
- 31
- 32
- 33
- 34
- 35
- 36
- 37
- 38
- 39
- 40
- 41
- 42
- 43
- 44
- 45
- 46
- 47
- 48
- 49
- 50
- 51
- 52
- 53
- 54
- 55
- 56
- 57
- 58
- 59
- 60
- 61
- 62
- 63
- 64
- 65

S2. Pictures of Bologna glass beads.










Table 1

	Sample	Typology	Chronology	Observations	References
Chotin	Cho-114,3	medium eye bead	7 th -5 th cen BC	four eyes (now lost). Deep translucent 'black' glass, now heavily weathered	1
	Cho-114,4	large extended biconical bead	7 th -5 th cen BC	deep translucent 'black' glass with weathered crust; feathered decoration lost, but weathered grooves remain	2
	Cho-114,5	medium donut shaped bead	7 th -5 th cen BC	dark translucent 'black' colours, bubbly with some weathering	3
	Cho-114,6	medium donut shaped bead	7 th -5 th cen BC	dark translucent 'black' colours, bubbly with some weathering	3
	Cho-114,9	medium donut shaped bead	7 th -5 th cen BC	dark translucent 'black' colours, bubbly with some weathering	3
	Cho-114,15	medium donut shaped bead	7 th -5 th cen BC	dark translucent 'black' colours, bubbly with some weathering	3
	Cho-115,7	medium donut shaped bead	7 th -5 th cen BC	dark translucent 'black' colours, bubbly with some weathering	3
	Cho-115,11	small donut-shaped bead	7 th -5 th cen BC	dark translucent 'black' colours with weathered crust	4
	Cho-115,15	small donut-shaped bead	7 th -5 th cen BC	dark translucent 'black' colours with weathered crust	4
	Cho-115,16	small donut-shaped bead	7 th -5 th cen BC	dark translucent 'black' colours with weathered crust	4
	Bologna Fiera	FiBo5	anular bead	8 th -7 th cen BC	deep translucent 'black' glass, from tomb 175 Bologna fiera excavations
FiBo6		anular bead	8 th -7 th cen BC	deep translucent 'black' glass, from tomb 175 Bologna fiera excavations	6
FiBo7		anular bead	8 th -7 th cen BC	deep translucent 'black' glass with weathered crust, from tomb 271 Bologna fiera excavations	6
FiBo11		anular bead	8 th -7 th cen BC	deep translucent 'black' glass, from tomb 322 Bologna fiera excavations	6
FiBo15		anular bead	8 th -7 th cen BC	dark translucent 'black' glass, bubbly with some weathering, from tomb 592 Bologna fiera excavations	6
FiBo17		anular bead	8 th -7 th cen BC	dark translucent 'black' glass, bubbly with some weathering, from tomb 676 Bologna fiera excavations	6
FiBo19		anular bead	8 th -7 th cen BC	translucent 'black' glass, bubbly with some weathering, from tomb 765 Bologna fiera excavations	6
FiBo20		spherical bead	8 th -7 th cen BC	black colour glass, from tomb 712 Bologna fiera excavations	6
FiBo22		anular bead	8 th -7 th cen BC	deep translucent 'black' glass, from tomb 755 Bologna fiera excavations	6
FiBo23		anular bead	8 th -7 th cen BC	deep translucent 'black' glass, from tomb 918 Bologna fiera excavations	6
FiBo25		anular bead	8 th -7 th cen BC	deep translucent 'black' glass, from tomb 1097 Bologna fiera excavations	6
Pozzuoli ^(a)		Pozz-50	sub-triangular bead	9 th -8 th cen BC	deep translucent 'black' with three eyes: an opaque white ring around a brown centre
	Pozz-51	sub-triangular bead	9 th -8 th cen BC	deep translucent 'black' with three eyes: an opaque white ring around a brown centre	5
	Pozz-52	sub-triangular bead	9 th -8 th cen BC	deep translucent 'black' with three eyes: an opaque white ring around a brown centre	5
	Pozz-53	globular bead	9 th -8 th cen BC	deep translucent 'black' with three eyes	5
	Pozz-54	globular bead	9 th -8 th cen BC	deep translucent 'black' with three eyes	5

	Sample	Typology	Chronology	Observations	References
Pozzuoli ^(a)	Pozz-55	globular bead	9 th -8 th cen BC	deep translucent 'black' with three eyes	5
	Pozz-56	globular bead	9 th -8 th cen BC	deep translucent 'black' with three eyes	5
	Pozz-57	sub-triangular bead	9 th -8 th cen BC	deep translucent 'black' with three eyes: an opaque white ring around a brown centre	5
	Pozz-58	sub-triangular bead	9 th -8 th cen BC	deep translucent 'black' with three eyes: an opaque white ring around a brown centre	5
	Pozz-59	sub-triangular bead	9 th -8 th cen BC	deep translucent 'black' with three eyes: an opaque white ring around a brown centre	5
	Pozz-60	sub-triangular bead	9 th -8 th cen BC	deep translucent 'black' with three eyes: an opaque white ring around a brown centre	5
	Pozz-61	sub-triangular bead	9 th -8 th cen BC	deep translucent 'black', broken, remaining eye an opaque white ring around a brown centre, weathered red opaque and iridescent	5
	Pozz-65	globular bead	9 th -8 th cen BC	deep translucent 'black', one eye: opaque white ring around a brown centre	5
	Pozz-66	globular bead	9 th -8 th cen BC	deep translucent 'black', one eye: opaque white ring around a brown centre	5
	Pozz-67	globular bead	9 th -8 th cen BC	deep translucent 'black', 3 eyes: only one opaque white ring around a brown centre remaining	5
	Pozz-68	cylindrical ellipsoidal bead	9 th -8 th cen BC	deep translucent 'black', slightly uneven white opaque stripes around perimeter, some uneven brown cubes attached	5
	Pozz-70	cylindrical ellipsoidal bead	9 th -8 th cen BC	deep translucent 'black', slightly uneven white opaque stripes around perimeter, some uneven brown cubes attached	5
	Pozz-71	cylindrical ellipsoidal bead	9 th -8 th cen BC	deep translucent 'black', slightly uneven white opaque stripes around perimeter, some uneven brown cubes attached	5
	Pozz-72	globular bead	9 th -8 th cen BC	deep translucent 'black', three white symmetrical stripes around perimeter	5
	Pozz-73	globular bead	9 th -8 th cen BC	deep translucent 'black' irregular shallow grooves around perimeter filled with possible white opaque glass, weathered, patchy opaque brown	5
	Pozz-74	globular bead	9 th -8 th cen BC	deep translucent 'black' irregular shallow grooves around perimeter filled with possible white opaque glass, weathered, patchy opaque brown	5
	Pozz-75	globular bead	9 th -8 th cen BC	deep translucent 'black' irregular shallow grooves around perimeter filled with possible white opaque glass, weathered, patchy opaque brown	5
	Pozz-76	cylindrical bead	9 th -8 th cen BC	deep translucent 'black', opaque white spiral trailed around perimeter, opaque white chevrons	5
	Pozz-77	globular bead	9 th -8 th cen BC	dark colours, deep translucent 'black', white and red opaque blobs, weathered, brown patches	5
	Pozz-78	globular bead	9 th -8 th cen BC	dark colours, deep translucent 'black', white and red opaque blobs, weathered, brown patches	5
	Pozz-79	globular bead	9 th -8 th cen BC	dark colours, deep translucent 'black', white and red opaque blobs, weathered, brown patches	5
	Pozz-80	globular bead	9 th -8 th cen BC	dark colours, deep translucent 'black', white and red opaque blobs, weathered, brown patches	5
	Pozz-81	globular bead	9 th -8 th cen BC	dark colours, deep translucent 'black', white and red opaque blobs, weathered, brown patches	5
	Pozz-82	globular bead	9 th -8 th cen BC	dark colours, deep translucent 'black', white and red opaque blobs, weathered, brown patches	5
	Pozz-83	globular bead	9 th -8 th cen BC	dark colours, deep translucent 'black', white and red opaque blobs, weathered, brown patches	5
	Pozz-84	globular bead	9 th -8 th cen BC	dark colours, deep translucent 'black', white and red opaque blobs, weathered, brown patches	5
Pozz-85	globular bead	9 th -8 th cen BC	dark colours, deep translucent 'black', white and red opaque blobs, weathered, brown patches	5	
Pozz-86	globular bead	9 th -8 th cen BC	dark colours, deep translucent 'black', white and red opaque blobs, weathered, brown patches	5	

	Sample	Typology	Chronology	Observations	References
Pozzuoli^(a)	Pozz-87	globular bead	9 th -8 th cen BC	dark colours, deep translucent 'black', white and red opaque blobs, weathered, brown patches	5
	Pozz-88	globular bead	9 th -8 th cen BC	dark colours, deep translucent 'black', white and red opaque blobs, weathered, brown patches	5
	Pozz-89	globular bead	9 th -8 th cen BC	dark colours, deep translucent 'black', white and red opaque blobs, weathered, brown patches	5
	Pozz-90	globular bead	9 th -8 th cen BC	dark colours, deep translucent 'black', white and red opaque blobs, weathered, brown patches	5
	Pozz-92	globular bead	9 th -8 th cen BC	dark colours, deep translucent 'black', white and red opaque blobs, weathered, brown patches	5
	Pozz-93	globular bead	9 th -8 th cen BC	dark colours, deep translucent 'black', white and red opaque blobs, weathered, brown patches	5
	Pozz-94	globular bead	9 th -8 th cen BC	dark colours, deep translucent 'black', white and red opaque blobs, weathered, brown patches	5
	Pozz-95	globular bead	9 th -8 th cen BC	dark colours, deep translucent 'black', white and red opaque blobs, weathered, brown patches	5
	Pozz-96	globular bead	9 th -8 th cen BC	deep translucent 'black', opaque white blobs	5
	Pozz-97	globular bead	9 th -8 th cen BC	deep translucent 'black' weathered brown opaque surface	5
Cumae^(b)	Cum-164	sub-triangular bead	9 th -8 th cen BC	deep translucent 'black' with three eyes: an opaque white ring around a brown centre	5
	Cum-165	sub-triangular bead	9 th -8 th cen BC	deep translucent 'black' with three eyes: an opaque white ring around a brown centre	5
	Cum-166	sub-triangular bead	9 th -8 th cen BC	deep translucent 'black' with three eyes: an opaque white ring around a brown centre	5
	Cum-167	sub-triangular bead	9 th -8 th cen BC	deep translucent 'black', opaque white rings around 'black' centres	5
	Cum-168	sub-triangular bead	9 th -8 th cen BC	deep translucent 'black', opaque white rings around 'black' centres	5
	Cum-169	sub-triangular bead	9 th -8 th cen BC	deep translucent 'black', opaque white rings around 'black' centres	5
	Cum-170	sub-cylindrical bead	9 th -8 th cen BC	deep translucent 'black', seven opaque white waves around the perimeters, brown surface	5
	Cum-171	globular bead	9 th -8 th cen BC	deep translucent 'black' globular, opaque white spiral around the perimeters, slightly uneven brown surface	5
	Cum-172	cilindrical bead	9 th -8 th cen BC	deep translucent 'black', uneven grooved around perimeter	5
	Cum-173	globular bead	9 th -8 th cen BC	deep translucent 'black', uneven grooved around perimeter	5
	Cum-174	globular bead	9 th -8 th cen BC	deep translucent 'black', one incomplete grooved around perimeter, brown opaque surface	5

Table 2


	Sample	SiO ₂	Al ₂ O ₃	TiO ₂	MnO	MgO	FeO	CaO	Na ₂ O	K ₂ O	SO ₃	Cl	P ₂ O ₅	Totals
Chotin	Cho-114,3	60,76	3,31	0,14	0,34	2,00	14,72	5,26	0,88	10,74	0,11	0,16	1,83	100,56
	Cho-114,4	60,51	3,27	0,15	0,34	1,98	14,80	5,51	0,97	10,72	0,08	0,18	1,96	100,85
	Cho-114,5	59,98	3,70	0,15	0,36	2,15	14,32	5,87	0,81	10,75	0,13	0,16	2,13	100,82
	Cho-114,6	60,35	2,68	0,15	0,37	2,24	14,97	5,82	0,90	10,34	0,05	0,15	2,02	100,30
	Cho-114,9	57,56	1,70	0,05	0,55	3,30	14,77	10,23	0,58	10,58	0,09	0,07	1,76	101,24
	Cho-114,15	57,43	2,16	0,09	0,82	2,94	14,27	6,71	8,47	5,33	0,18	0,12	2,38	100,90
	Cho-115,7	58,96	2,09	0,10	0,33	2,65	12,72	6,39	0,24	12,64	0,08	n.d.	4,62	100,74
	Cho-115,11	55,95	1,89	0,09	0,39	3,50	15,86	8,04	0,53	10,76	0,17	n.d.	2,17	99,35
	Cho-115,15	55,74	1,32	0,05	0,65	5,31	12,69	7,24	0,14	14,17	0,20	n.d.	3,78	101,29
	Cho-115,16	61,32	2,50	0,07	0,34	2,27	12,61	7,71	0,68	10,16	0,03	0,04	2,31	100,04
Bologna Fair	FiBo5	62,52	1,27	0,16	0,04	0,75	11,69	1,47	21,66	1,01	0,21	0,52	0,12	101,61
	FiBo6	61,46	1,23	0,15	n.d.	0,71	11,40	1,75	21,67	1,61	0,20	0,62	0,12	101,14
	FiBo7	55,29	1,84	0,26	n.d.	1,39	19,89	1,09	17,55	0,75	0,20	0,42	0,09	98,96
	FiBo11	64,07	0,98	0,11	n.d.	0,66	12,22	1,68	17,86	0,97	0,10	0,48	0,11	99,46
	FiBo15	64,44	1,07	0,22	n.d.	0,49	13,72	1,35	15,97	1,51	0,16	0,59	0,09	99,78
	FiBo17	64,88	0,89	0,14	n.d.	0,50	10,36	1,48	17,95	0,80	0,18	0,31	0,19	97,91
	FiBo19	61,40	1,05	0,17	n.d.	2,29	12,22	3,55	15,11	0,98	0,19	0,50	0,23	98,01
	FiBo20	61,44	1,06	0,17	n.d.	0,61	10,29	1,69	20,84	0,92	0,09	0,56	0,11	98,00
	FiBo22	58,91	0,96	0,08	n.d.	0,55	15,50	1,72	18,75	0,97	0,12	0,40	0,16	98,38
	FiBo23	64,83	0,96	0,16	n.d.	0,57	11,24	1,98	19,33	0,98	0,18	0,45	0,18	101,01
	FiBo25	63,91	1,16	0,19	n.d.	0,43	13,89	1,51	16,07	0,88	0,11	0,24	0,09	98,72
Pozzuoli	Pozz-50	65,73	2,73	0,15	0,03	3,39	9,50	2,17	15,70	1,62	0,29	0,58	0,47	102,53
	Pozz-51	62,40	3,24	0,19	0,04	3,07	13,34	1,56	16,31	1,42	0,48	0,54	0,14	102,98
	Pozz-52	62,80	1,03	0,09	n.d.	0,56	14,54	1,60	16,40	1,07	0,15	0,44	0,07	98,88
	Pozz-53	66,19	1,01	0,08	0,03	0,56	14,40	1,73	15,16	1,29	0,14	0,41	0,60	101,81
	Pozz-54	67,16	1,48	0,11	0,07	0,84	14,20	2,05	14,23	1,02	0,39	0,75	1,31	103,81
	Pozz-55	63,82	2,21	0,09	0,06	1,44	11,45	2,70	14,57	0,98	0,20	0,52	0,29	98,64
	Pozz-56	63,60	1,20	0,08	0,03	0,90	12,16	2,28	16,92	0,79	0,20	0,46	0,21	99,08
	Pozz-57	64,23	1,83	0,14	0,03	1,42	10,20	1,29	15,77	0,80	0,24	0,38	0,51	97,11
	Pozz-58	66,97	3,37	0,22	n.d.	1,88	7,33	1,26	17,13	1,36	0,52	0,45	0,06	100,77
	Pozz-59	70,24	2,79	0,24	n.d.	1,10	5,44	1,55	16,99	1,45	0,49	0,49	0,17	101,32
	Pozz-60	70,75	1,07	0,11	n.d.	0,58	13,52	1,24	14,41	0,69	0,12	0,41	0,12	103,16
	Pozz-61	63,82	1,11	0,13	0,05	0,68	18,27	1,84	14,06	0,71	0,08	0,51	0,50	101,98
	Pozz-65	62,02	1,97	0,19	0,03	1,23	11,53	2,00	17,40	0,99	0,12	0,64	0,10	98,41
	Pozz-66	67,10	1,28	0,07	n.d.	2,26	12,61	3,58	13,69	0,81	0,21	0,59	0,17	102,85
	Pozz-67	63,97	1,12	0,07	0,04	0,85	17,93	2,52	13,78	0,73	0,12	0,49	0,12	102,09
Pozz-68	62,90	1,12	0,09	0,04	2,80	12,21	3,37	16,96	1,03	0,11	0,76	0,18	101,72	

	Sample	SiO ₂	Al ₂ O ₃	TiO ₂	MnO	MgO	FeO	CaO	Na ₂ O	K ₂ O	SO ₃	Cl	P ₂ O ₅	Totals
Pozzuoli	Pozz-70	67,12	1,66	0,14	n.d.	1,10	12,81	1,81	15,25	1,22	0,15	0,80	0,15	102,39
	Pozz-71	68,29	1,14	0,15	0,03	3,07	6,68	4,03	16,18	1,01	0,43	0,63	0,26	102,10
	Pozz-72	65,46	1,21	0,15	n.d.	3,26	6,96	4,41	17,55	1,20	0,15	0,99	0,23	101,77
	Pozz-73	63,44	2,04	0,13	n.d.	3,97	9,99	3,11	17,39	1,25	0,30	0,94	0,12	102,89
	Pozz-74	70,43	1,25	0,09	0,03	0,85	9,21	1,86	16,98	0,85	0,12	0,53	0,10	102,54
	Pozz-75	69,07	1,93	0,13	0,05	1,02	7,81	2,78	15,86	1,39	0,40	0,49	0,10	102,79
	Pozz-76	62,42	1,05	0,09	n.d.	0,75	17,51	1,84	14,69	0,67	0,14	0,58	0,06	99,95
	Pozz-77	64,26	1,13	0,05	n.d.	0,95	10,75	4,65	15,04	0,88	0,09	0,51	0,10	98,65
	Pozz-78	67,52	1,49	0,13	0,05	0,79	11,70	1,59	17,42	1,07	0,09	0,50	0,07	102,75
	Pozz-79	66,28	1,53	0,09	0,09	0,97	12,99	2,93	15,43	1,14	0,15	0,48	0,10	102,89
	Pozz-80	66,56	1,39	0,21	n.d.	1,01	14,46	1,82	15,43	0,80	0,12	0,71	0,07	102,85
	Pozz-81	67,07	1,27	0,07	0,05	0,74	13,41	1,95	16,87	0,80	0,18	0,56	0,27	103,46
	Pozz-82	67,19	1,31	0,07	n.d.	0,74	12,76	1,96	16,70	0,84	0,18	0,53	0,20	102,72
	Pozz-83	68,45	2,74	0,11	n.d.	2,06	6,76	1,18	17,18	1,31	0,28	0,49	0,14	100,89
	Pozz-84	64,35	2,41	0,24	0,04	2,46	8,15	3,32	17,57	1,79	0,67	0,45	0,22	103,43
	Pozz-85	65,33	1,60	0,11	n.d.	2,26	9,55	5,23	15,67	1,34	0,20	0,78	0,19	102,54
	Pozz-86	65,32	2,01	0,27	0,04	0,90	12,71	2,31	15,39	1,48	0,09	0,59	0,24	101,53
	Pozz-87	63,75	1,88	0,16	n.d.	2,51	8,70	4,21	17,33	1,12	0,12	0,65	0,22	100,80
	Pozz-88	69,65	1,45	0,11	n.d.	0,85	9,30	1,78	16,15	0,94	0,18	0,47	0,10	101,23
	Pozz-89	68,06	1,34	0,11	n.d.	1,03	9,15	2,14	15,95	1,04	0,24	0,50	0,12	100,97
Pozz-90	67,12	1,06	0,09	n.d.	0,72	12,26	1,19	16,66	0,87	0,03	0,52	0,07	100,81	
Pozz-92	68,08	1,29	0,13	n.d.	1,28	10,63	3,70	14,73	0,98	0,33	0,55	0,10	102,12	
Pozz-93	67,77	1,26	0,09	0,04	1,27	10,19	3,52	15,04	0,97	0,36	0,56	0,12	102,22	
Pozz-94	66,65	1,34	0,11	n.d.	1,29	10,54	2,21	16,59	1,10	0,91	0,84	0,12	102,07	
Pozz-95	65,30	3,01	0,16	n.d.	1,77	7,10	2,71	17,99	1,59	0,30	0,43	0,15	100,73	
Pozz-96	63,48	0,98	0,09	0,04	1,05	15,64	2,28	17,24	0,92	0,21	0,68	0,12	102,97	
Pozz-97	62,77	1,06	0,23	0,03	1,02	16,25	2,08	16,27	1,09	0,12	0,75	0,10	101,94	
Cumae	Cum-164	66,43	2,00	0,16	0,07	1,06	10,55	2,94	15,93	0,95	0,18	0,92	0,10	101,62
	Cum-165	67,58	3,24	0,16	0,04	1,98	6,33	3,25	16,40	2,04	0,00	0,50	0,24	102,18
	Cum-166	68,08	2,23	0,13	n.d.	1,82	9,98	1,51	16,71	1,13	0,21	0,38	0,05	102,42
	Cum-167	67,97	2,00	0,11	n.d.	1,80	9,73	1,74	16,63	1,20	0,82	0,37	0,05	102,63
	Cum-168	64,40	1,45	0,14	0,04	0,87	13,42	3,80	15,84	0,76	0,00	0,41	0,05	101,42
	Cum-169	73,87	1,58	0,22	0,11	1,94	5,03	2,77	10,32	1,42	0,27	0,48	0,10	98,40
	Cum-170	67,98	1,79	0,09	0,05	1,09	8,76	1,38	17,34	2,88	0,49	0,48	0,20	102,82
	Cum-171	66,58	1,54	0,16	0,08	0,96	12,43	3,04	14,99	1,69	0,24	0,35	0,19	102,63
	Cum-172	63,85	1,86	0,32	0,08	0,52	16,30	1,17	16,08	2,55	0,18	0,44	0,22	103,93
	Cum-173	70,15	1,05	0,14	0,04	0,28	11,31	1,26	15,70	0,99	0,00	0,50	0,12	101,76
	Cum-174	67,79	1,22	0,11	0,07	0,99	12,28	1,59	15,87	1,04	0,00	0,61	0,07	101,85


Table 3

	Sample	V	Cr	Co	Ni	Cu	Zn	Ga	Rb	Sr	Y	Zr	Nb	Sn	Sb	Ba	La	Pr	Nd	Eu	Gd	Tb	Dy	Ho	Yb	Lu	Hf	Ta	Pb	Th	U
Chotin	Cho-114-3	19	18	11	20	1504	58	2,6	75	174	8,3	63	3,3	149	18	388	7,6	1,7	6,9	0,4	1,6	0,2	1,5	0,3	1,0	0,1	1,6	0,3	52	2,5	0,6
	Cho-114-4	22	16	11	18	1840	68	3,4	86	186	9,5	81	3,7	150	22	449	8,4	1,9	7,9	0,5	1,8	0,3	1,8	0,4	1,3	0,2	2,0	0,3	57	3,1	0,8
	Cho-114-5	21	15	11	21	1755	66	3,2	84	214	9,3	68	3,6	137	19	466	8,7	2,0	8,0	0,5	1,8	0,3	1,8	0,4	1,2	0,2	1,8	0,3	54	3,0	0,7
	Cho-114-6	21	16	12	25	1818	72	3,3	84	174	9,3	70	3,7	139	20	462	8,5	1,9	7,9	0,5	1,8	0,3	1,8	0,4	1,1	0,2	1,9	0,3	55	3,1	0,8
	Cho-114-15	13	18	466	12	653	253	9,2	26	364	8,0	56	2,1	1,9	656	289	8,1	1,8	7,9	0,5	1,5	0,2	1,4	0,3	0,8	0,1	1,5	0,2	551	1,7	1,8
	Cho-115-7	13	14	6,3	13	99	100	2,4	47	137	7,6	49	2,6	0,7	4,0	265	6,6	1,6	6,5	0,3	1,5	0,2	1,5	0,3	1,1	0,2	1,5	0,3	2,4	2,7	0,6
	Cho-115-11	19	20	6,5	15	408	58	2,2	45	217	8,6	36	2,0	2,9	16	393	6,8	1,6	7,1	0,5	1,9	0,3	2,0	0,4	1,1	0,2	1,2	0,2	23	2,2	0,5
	Cho-115-15	10	11	5,7	16	109	84	1,4	58	206	7,5	19	1,4	1,5	37	284	7,0	1,5	6,5	0,8	1,8	0,2	1,4	0,3	0,7	0,1	0,5	0,1	12	1,2	1,2
	Cho-115-16	15	16	12	20	508	54	3,4	70	206	8,1	42	2,4	11	7,9	380	8,3	1,9	8,1	0,6	1,9	0,3	1,6	0,3	0,8	0,1	1,2	0,2	109	2,3	0,9
Bologna Fair	FiBo6	20	18	2,4	7,9	229	268	2,2	16	59	5,3	71	3,7	0,9	30	42	7,6	1,6	6,4	0,2	1,1	0,2	1,0	0,2	0,6	0,1	1,7	0,3	7,4	2,7	1,9
	FiBo11	16	15	1,0	7,6	83	406	2,2	17	49	7,2	62	3,7	1,2	6,5	35	7,7	1,6	6,9	0,2	1,4	0,2	1,3	0,3	0,7	0,1	1,6	0,4	4,0	2,8	2,1
	FiBo15	16	18	1,8	7,4	94	312	2,7	20	43	7,5	90	4,0	1,1	2,1	65	14	3,1	13	0,3	1,5	0,2	1,3	0,3	0,8	0,1	2,1	0,3	5,2	5,1	2,1
	FiBo17	16	16	1,4	5,5	446	213	1,6	12	33	8,0	79	2,9	4,2	21	33	8,0	1,7	7,3	0,3	2,1	0,3	1,5	0,3	0,7	0,1	1,9	0,2	4,6	3,5	1,3
	FiBo19	15	16	2,1	8,9	110	228	2,2	15	153	7,4	54	3,2	0,6	679	43	9,0	2,1	9,3	0,3	1,7	0,2	1,3	0,3	0,6	0,1	1,3	0,3	21	3,2	1,9
	FiBo20	19	17	1,6	7,9	48	395	2,2	14	50	11	75	4,6	0,7	1,7	44	13	3,2	14	0,5	2,5	0,4	2,1	0,4	1,1	0,1	1,9	0,4	2,7	6,3	1,8
	FiBo25	16	21	1,6	7,3	96	293	1,6	12	28	5,2	74	3,9	0,6	48	41	7,5	1,6	6,8	0,2	1,1	0,1	0,9	0,2	0,6	0,1	1,8	0,3	5,5	3,3	1,7
Pozzuoli	Pozz-54	24	12	1,8	10,2	48	613	2,7	15	69	8,3	62	4,0	0,8	296	55	12,9	2,9	11,3	0,3	1,7	0,3	1,5	0,3	0,6	0,1	1,4	0,3	11,8	3,3	5,0
	Pozz-55	69	20	3,1	18	119	722	3,2	15	108	8,8	77	4,2	1,1	99	46	13	2,9	12	0,3	1,7	0,3	1,5	0,3	0,8	0,2	1,7	0,3	27	3,7	1,8
	Pozz-56	34	136	6,8	231	39	14	2,3	10	41	10	60	3,8	0,8	56	52	12	2,6	11	0,7	3,4	0,5	3,0	0,6	1,3	0,2	2,5	0,5	3,0	5,2	1,8
	Pozz-57	33	135	6,7	232	37	15	2,3	10	38	9,4	57	3,7	0,7	28	48	11	2,6	11	0,4	2,0	0,3	1,8	0,4	0,7	0,2	1,4	0,3	1,6	3,1	1,1
	Pozz-58	61	334	17	223	29	27	3,6	15	59	9,5	57	5,5	0,8	4,0	36	10	2,4	10	0,4	1,8	0,3	1,6	0,4	0,9	0,2	1,3	0,4	2,5	2,8	1,1
	Pozz-59	32	93	5,3	40	282	12	3,6	22	54	11	75	6,6	0,9	1654	80	19	4,0	16	0,4	2,1	0,3	1,9	0,4	0,9	0,2	1,7	0,5	11	5,2	1,0
	Pozz-60	74	18	1,8	13	347	460	3,0	13	82	8,2	47	4,6	1,3	25	58	14	3,1	15	0,2	1,3	0,2	1,1	0,2	0,4	0,1	0,7	0,2	15	2,3	1,5
	Pozz-65	41	21	3,1	15	517	343	3,3	16	78	10	80	6,1	3,1	27	74	17	3,7	14	0,3	1,9	0,3	1,7	0,4	0,8	0,2	1,8	0,5	5,7	7,7	1,8
	Pozz-66	37	14	2,5	9,3	12740	317	4,3	14	175	7,6	49	4,5	1,9	64	200	11	2,4	10	0,3	1,4	0,2	1,3	0,3	0,7	0,2	1,1	0,3	334	2,5	2,3
	Pozz-67	23	12	2,3	10	2496	290	2,7	12	92	9,2	59	2,9	1,2	109	54	12	2,9	12	0,4	2,2	0,3	1,7	0,3	0,6	0,1	1,3	0,2	2,6	4,8	2,0
	Pozz-71	29	54	4,8	55	55	15	2,1	15	206	13	81	4,9	0,9	392	66	14	3,2	13	0,4	2,4	0,4	2,1	0,5	0,9	0,2	1,8	0,4	3,9	4,2	1,6
	Pozz-72	23	14	1,7	7,9	31	123	3,2	16	210	10	96	6,0	0,9	48	43	16	3,5	14	0,3	2,2	0,4	2,0	0,4	1,1	0,2	2,6	0,6	18	8,1	2,8
	Pozz-73	40	113	5,0	82	41	15	3,2	23	161	11	83	6,0	1,1	308	66	13	2,9	12	0,2	1,9	0,3	2,0	0,4	1,2	0,2	2,0	0,5	5,3	5,5	1,6
	Pozz-74	26	13	3,6	12	833	209	2,6	12	102	6,9	44	3,1	0,9	306	58	10	2,5	10	0,3	1,8	0,3	1,5	0,3	0,6	0,1	1,1	0,3	1095	3,6	1,5
	Pozz-76	19	13	1,2	6,3	52	305	2,7	11	52	5,9	50	3,5	0,7	7,3	36	10	2,3	9,1	0,2	1,2	0,2	1,1	0,2	0,6	0,1	1,3	0,3	2,3	3,9	1,9
	Pozz-81	50	16	1,3	13	54	647	2,8	13	59	9,3	43	2,4	0,7	242	46	10	2,3	10	0,4	2,0	0,3	1,6	0,3	0,6	0,1	0,9	0,2	12	2,2	1,6
	Pozz-82	47	16	1,6	14	319	595	2,7	13	68	9,4	48	2,4	0,6	263	48	10	2,2	10	0,5	1,8	0,4	1,5	0,4	0,6	0,3	1,0	0,3	10	2,1	1,4
Pozz-83	49	254	27	350	130	31	3,2	16	53	5,4	47	3,0	0,7	48	25	5,5	1,3	5,4	0,2	0,9	0,2	1,0	0,2	0,6	0,1	1,2	0,2	3,0	2,4	0,9	
Pozz-85	156	19	2,4	21	75	253	3,2	19	150	8,7	82	4,5	0,9	490	45	12	2,6	10	0,2	1,6	0,3	1,6	0,3	0,9	0,2	2,0	0,4	19	4,3	2,1	

Isotopic results					
Sample	$^{87}\text{Sr}/^{86}\text{Sr}$	2σ	$^{143}\text{Nd}/^{144}\text{Nd}$	2σ	ϵNd
FiBo5	0,70919	0,00007	0,512070	0,000097	-11,08
FiBo6	0,70923	0,00013	0,512077	0,000096	-10,94
FiBo7	0,70949	0,00015	0,512196	0,000056	-8,63
FiBo19	0,70866	0,00009	0,512093	0,000076	-10,63
FiBo22	0,70941	0,00010	0,512082	0,000051	-10,85
FiBo23	0,71012	0,00010	0,512036	0,000054	-11,74



Click here to access/download
Supplementary Material
S1.pdf





Click here to access/download
Supplementary Material
S2.pdf

